







BSD'의 주요 구성 요소는 다음과 같습니다.

## 4.2. BSD 프로젝트의 구조

BSD 프로젝트는 여러 하위 프로젝트로 구성되어 있으며, 각각은 BSD 라이선스를 따릅니다. 주요 프로젝트는 다음과 같습니다.

BSD 프로젝트의 구조는 다음과 같습니다.

이 구조는 BSD 프로젝트의 주요 구성 요소와 그 관계를 나타냅니다.

### 핵심 팀

BSD 프로젝트의 핵심 팀은 다음과 같습니다.

이 팀은 BSD 프로젝트의 방향을 설정하고, 주요 결정을 내리며, 프로젝트의 성공을 보장하는 역할을 합니다.

### Core Team의 역할

FreeBSD와 NetBSD와 같은 하위 프로젝트는 Core Team의 지도를 받으며, 각 프로젝트는 자신의 커뮤니티와 기여자를 가지고 있습니다.

BSD 프로젝트의 주요 구성 요소는 다음과 같습니다.

1. 프로젝트의 방향을 설정하고, 주요 결정을 내리며, 프로젝트의 성공을 보장하는 역할을 합니다.
2. BSD 프로젝트의 주요 구성 요소는 다음과 같습니다.
3. 프로젝트의 방향을 설정하고, 주요 결정을 내리며, 프로젝트의 성공을 보장하는 역할을 합니다.



BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X

- 4.4 BSD license and other licenses are used in BSD/OS and Mac OS X, and FreeBSD's BSD/OS license is also used
- BSD license and other licenses are used in Mac OS X and FreeBSD's BSD license is also used

### 4.4. BSD and GNU licenses

BSD license and GNU General Public License (GPL) are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.

### 4.5. BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.

### 4.6. BSD, GPL, and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.

- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from it be licensed under the same terms.

- 00000000000 00000000 BSD'00 0000000 000000 0000 00000000 000000 0000 00 0000 0000000000 0000000000 0000000000 00000000 00000000 BSD'0 0000000000 00000000 0000000000 000000 0000000

## 4.7. BSD 000000000000 000000 0 0000000000000

BSDi 00000000 BSD/OS 00000000000 00000 00000 00000000 0000000000 00000 FreeBSD 0000000000 00000 00000000 0000000000

00000000 FreeBSD, NetBSD 0 OpenBSD'0 0000000000 0000000000 000000 0000000 00000 0000000000000 0000000000 0000000000000000 00000 00000 0000000 00000