

PGP for Personal Privacy

Version 5.5

For
Windows 95/NT

User's Guide

Freeware

Network Associates, Inc.

Copyright © 1990-1998 Network Associates, Inc. and its affiliated companies. All rights reserved.

PGP* for Personal Privacy for Windows/Diffie-Hellman Version 5.5.5

PGP and Pretty Good Privacy are registered trademarks of Network Associates, Inc. and its affiliated companies.

The Software Product may use public key algorithms described in U.S. patent numbers 4,200,770, 4,218,582, 4,405,829, and 4,424,414, licensed exclusively by Public Key Partners; the IDEA(tm) cryptographic cipher described in U.S. patent number 5,214,703, licensed from Ascom Tech AG; and the Northern Telecom Ltd., CAST Encryption Algorithm, licensed from Northern Telecom, Ltd. IDEA is a trademark of Ascom Tech AG. The Software Product may also include any of the following; compression code which is provided by Mark Adler and Jean-loup Gailly, used with permission from the free Info-ZIP implementation; LDAP software which is provided courtesy University of Michigan at Ann Arbor, Copyright (c) 1992-1996 Regents of the University of Michigan, All rights reserved; DB 2.0 software which is Copyright (c) 1990, 1993, 1994, 1995, 1996, 1997 Sleepycat Software, Inc., All rights reserved; software developed by the Apache Group for use in the Apache HTTP server project (<http://www.apache.org/>), Copyright (c) 1995-1997 The Apache Group, All rights reserved. Network Associates, Inc. and its affiliated companies may have patents and/or pending patent applications covering subject matter in this software or its documentation; the furnishing of this software or documentation does not give you any license to these patents.

See text files included with the software or the Network Associates web site for further information. The software provided with this documentation is licensed to you for your individual use under the terms of the End User License Agreement and Limited Warranty provided with the software. The information in this document is subject to change without notice. Network Associates, Inc. does not warrant that the information meets your requirements or that the information is free of errors. The information may include technical inaccuracies or typographical errors. Changes may be made to the information and incorporated in new editions of this document, if and when made available by Network Associates, Inc.

Note: Some countries have laws and regulations regarding the use and export of cryptography products; please consult your local government authority for details. Should you have any questions concerning these terms and conditions, or if you desire to contact Network Associates, Inc. for any reason, please write:

Network Associates, Inc. Customer Service
2805 Bowers Avenue
Santa Clara, CA 95051-0963

<http://www.nai.com>

* is sometimes used instead of the ® for registered trademarks to protect marks registered outside of the U.S.

LIMITED WARRANTY

Limited Warranty. Network Associates warrants that the Software Product will perform substantially in accordance with the accompanying written materials for a period of sixty (60) days from the date of original purchase. To the extent allowed by applicable law, implied warranties on the Software Product, if any, are limited to such sixty (60) day period. Some jurisdictions do not allow limitations on duration of an implied warranty, so the above limitation may not apply to you.

Customer Remedies. Network Associates' and its suppliers' entire liability and your exclusive remedy shall be, at Network Associates' option, either (a) return of the purchase price paid for the license, if any or (b) repair or replacement of the Software Product that does not meet Network Associates' limited warranty and which is returned at your expense to Network Associates with a copy of your receipt. This limited warranty is void if failure of the Software Product has resulted from accident, abuse, or misapplication. Any repaired or replacement Software Product will be warranted for the remainder of the original warranty period or thirty (30) days, whichever is longer. Outside the United States, neither these remedies nor any product support services offered by Network Associates are available without proof of purchase from an authorized international source and may not be available from Network Associates to the extent they subject to restrictions under U.S. export control laws and regulations.

NO OTHER WARRANTIES. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, AND EXCEPT FOR THE LIMITED WARRANTIES SET FORTH HEREIN, THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" AND NETWORK ASSOCIATES AND ITS SUPPLIERS DISCLAIM ALL OTHER WARRANTIES AND CONDITIONS, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, CONFORMANCE WITH DESCRIPTION, TITLE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS, AND THE PROVISION OF OR FAILURE TO PROVIDE SUPPORT SERVICES. THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHERS, WHICH VARY FROM JURISDICTION TO JURISDICTION.

LIMITATION OF LIABILITY. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL NETWORK ASSOCIATES OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR EXEMPLARY DAMAGES OR LOST PROFITS WHATSOEVER (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, OR ANY OTHER PECUNIARY LOSS) ARISING OUT OF THE USE OR INABILITY TO USE THE SOFTWARE PRODUCT OR THE FAILURE TO PROVIDE SUPPORT SERVICES, EVEN IF NETWORK ASSOCIATES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. IN ANY CASE, NETWORK ASSOCIATES' CUMULATIVE AND ENTIRE LIABILITY TO YOU OR ANY OTHER PARTY FOR ANY LOSS OR DAMAGES RESULTING FROM ANY CLAIMS, DEMANDS OR ACTIONS ARISING OUT OF OR RELATING TO THIS AGREEMENT SHALL NOT EXCEED THE PURCHASE PRICE PAID FOR THIS LICENSE. BECAUSE SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY, THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

Preface

This book describes how to use PGP® for Personal Privacy for Windows 95 and NT, Version 5.5. PGP Version 5.5 has some new features, which are described in Chapter 1.

See “What’s in this book,” at the end of this Preface, for more information about each chapter.

Conventions used in this document

Types of notes:

NOTE: Notes provide additional information on using PGP—for example, if you are not using PGP/MIME, you must encrypt any files you want to send as attachments from the Windows Explorer before sending your message.

TIP: Tips provide guidelines for using PGP effectively—for example, how to create a useful passphrase.

ALERT: If you use PGP Wipe to delete a Windows shortcut for an application, you also delete the application itself.

For more information

There are several ways to find out more about Network Associates and its products.

From the Web

The Network Associates, Inc. web site provides information about our organization, our products, product updates, and related topics such as Privacy Matters. Please visit us at:

<http://www.nai.com>

You can also reach us from both AOL and Compuserve as:

Go NAI

Technical Support

PGP does not provide Technical Support for its freeware products. Please see our web site at <http://www.nai.com> for information on purchasing our products.

Your feedback is welcome

We continually enhance PGP and welcome customer feedback as we design new versions. We appreciate your interest in PGP and your thoughts on product content and functionality. Feedback like yours helps us to develop richer and easier-to-use software and services. While we cannot incorporate all suggestions, we will give your input serious consideration as we develop future products.

If you would like to provide input, please send email to win-doc@pgp.com.

Recommended Introductory Readings

Bacard, Andre *Computer Privacy Handbook*, Peachpit Press, 1995.

Garfinkel, Simson *Pretty Good Privacy*, O'Reilly & Associates, 1995.

Schneier, Bruce *Applied Cryptography: Protocols, Algorithms, and Source Code in C, Second Edition*, John Wiley & Sons, 1996.

Schneier, Bruce *Email Security*, John Wiley & Sons, 1995.

Stallings, William *Protect Your Privacy*, Prentice-Hall, 1994.

Other Readings

Lai, Xuejia, "On the Design and Security of Block Ciphers," Institute for Signal and Information Processing, ETH-Zentrum, Zurich, Switzerland, 1992.

Lai, Xuejia, Massey, James L., and Murphy, Sean "Markov Ciphers and Differential Cryptanalysis," *Advances in Cryptology—EUROCRYPT'91*.

Rivest, Ronald "The MD5 Message Digest Algorithm" *MIT Laboratory for Computer Science*, 1991.

Wallich, Paul "Electronic Envelopes" *Scientific American*, Feb. 1993, page 30.

Zimmermann, Philip "A Proposed Standard Format for RSA Cryptosystems" *Advances in Computer Security*, Vol. III, edited by Rein Turn Artech House, 1988.

What's in this book

Chapter 1 introduces PGP software and provides a general overview.

Chapter 2 describes how to install and run PGP.

Chapter 3 describes how to make and exchange PGP keys.

Chapter 4 describes how to use PGP to send and receive private email. It also discusses how to use PGP to send encrypted email to groups of people.

Chapter 5 describes how to use PGP to securely store data on your computer or file server, and explains how to use PGP Wipe.

Chapter 6 describes how to set PGP preferences.

Chapter 7 contains error messages for troubleshooting PGP.

Chapter 8 was written by Phil Zimmerman, founder of PGP, and describes security and vulnerabilities of protecting your data.

Appendix A discusses how PGP deals with transferring files between Macintosh and Windows operating systems.

The Glossary contains definitions of terms used in this guide.

Contents

Preface	v
Conventions used in this document	v
For more information	vi
From the Web	vi
Technical Support	vi
Your feedback is welcome	vi
Recommended Introductory Readings	vi
Other Readings	vii
What's in this book	vii
Contents	ix
Chapter 1: Introducing PGP for Personal Privacy	15
What's new in PGP Version 5.5	15
What's new in PGP Version 5.5 documentation	16
Using PGP	16
A quick overview	16
Create a private and public key pair	17
Exchange public keys with others	18
Validate your keys	18
Encrypt and sign your email and files	18

Decrypt and verify your email and files	19
Wipe files	19
Chapter 2: Getting Started	21
System requirements	21
Compatibility with other versions	21
About PGP for Personal Privacy	22
PGP for email and files	22
Using PGP/MIME	23
Upgrading from a previous version	23
Upgrading from PGP Version 2.6.2 or 2.7.1	24
Upgrading from PGPmail 4.0	25
Upgrading from PGPmail 4.5	25
Upgrading from PGP Version 5.0	26
Installing PGP Version 5.5	27
From a CD ROM	27
From the Network Associates Web site	27
Running PGP	28
Using PGP from the System tray	28
Using PGP from supported email applications	30
Using PGP from the Windows Explorer	31
Selecting recipients	31
Taking shortcuts	32
PGPkeys icon definitions	32
Chapter 3: Making and Exchanging Keys	35
Key concepts	35
Making a key pair	36

How to remember your passphrase	40
Protecting your keys	41
Distributing your public key	42
Making your public key available through a key server	42
Including your public key in an email message	44
Exporting your public key to a file	44
Obtaining the public keys of others	45
Getting public keys from a key server	45
Adding public keys from email messages	47
Importing a public key from a file	47
Verifying the authenticity of a key	47
Getting keys via trusted introducers	49
Chapter 4: Sending and Receiving Private Email	51
Encrypting and signing email	51
Encrypting and signing with supported email applications	52
Decrypting and verifying email	53
Decrypting and verifying from supported email applications	54
About PGPIlog	55
About recipient groups	55
Chapter 5: Using PGP for Secure File Storage	59
Using PGP to encrypt and decrypt files	59
Encrypting and signing via the clipboard	59
Decrypting and verifying via the clipboard	61
Encrypting and signing from the Windows Explorer	62
Decrypting and verifying from the Windows Explorer	64

Using PGP functions from the Windows Explorer	65
To permanently overwrite a file	65
Chapter 6: Managing Keys and Setting Preferences	67
Managing your keys	67
The PGPkeys window	68
PGPkeys attribute definitions	69
Examining a key's properties	71
Specifying a default key pair	73
Adding a new user name or address	73
Checking a key's fingerprint	74
Signing someone's public key	75
Granting trust for key validations	76
Disabling and enabling keys	76
Deleting a key or signature	77
Changing your passphrase	77
Importing and exporting keys	78
Revoking a key	79
Setting your preferences	80
General preferences	80
Files preferences	83
Email preferences	84
Key Server preferences	85
Advanced preferences	87
About key searches	88
To search for a user's key	88
Chapter 7: Troubleshooting PGP	91

Chapter 8: Security Features and Vulnerabilities . 95

Why I wrote PGP	95
Encryption basics	100
How public key cryptography works	101
How your files and messages are encrypted	102
The PGP symmetric algorithms	103
Data compression	105
About the random numbers used as session keys	106
How decryption works	107
How digital signatures work	107
How to protect public keys from tampering	110
How does PGP keep track of which keys are valid?	114
How to protect private keys from disclosure	116
Beware of snake oil	118
Vulnerabilities	124
Compromised passphrase and private key	124
Public key tampering	125
Not Quite Deleted Files	125
Physical security breach	128
Tempest attacks	128
Protecting against bogus timestamps	129
Exposure on multi-user systems	130
Traffic analysis	130
Cryptanalysis	131

Chapter 9: Transferring Files Between the MacOS and Windows using PGP 133

Sending from the MacOS to Windows	134
MacBinary: Yes	135
MacBinary: No	135
MacBinary: Smart	135
Receiving Windows files on the MacOS	137
Supported Applications	137
Glossary	139
Index	143

Introducing PGP for Personal Privacy

Welcome to PGP! With PGP for Personal Privacy, you can easily and securely protect the privacy of your email messages and file attachments by encrypting them so that only the intended recipients can read them. You can also digitally sign messages and files, which ensures their authenticity. A signed messages verifies that the information in it has not been tampered with in any way.

What's new in PGP Version 5.5

PGP Version 5.5 includes these new features:

- You can create recipient groups, in which you select a group of people's keys and encrypt mail to all of them simultaneously.
- New key server integration capabilities that you can use to automatically store, search, and synchronize keys.
- A new Key Search Window that you can use to locate keys on remote servers with the same user interface that you use to search your keyring.
- New PGPtools that you can use to encrypt, sign, decrypt, verify, or wipe files from the Windows Explorer.
- A PGP Wipe feature that overwrites files so that they cannot be recovered with software tools

- A configurable View menu that provides information about the keys on your keyring.

What's new in PGP Version 5.5 documentation

This guide contains information about PGP Version 5.5. The PGP documentation has the following new features:

- The manuals for user products contain conceptual information and procedures for using PGP. Online help for PGP user products is written specifically for each plug-in, and contains more detailed information on how to use PGP with each plug-in.
- PGP Version 5.5 for Windows includes online help and an electronic copy of the documentation in Adobe Acrobat format is available on the PGP Version 5.5 CD ROM.

Using PGP

One of the most convenient ways to use PGP is through one of the popular email applications supported by the PGP plug-ins. With these applications, you can encrypt and sign as well as decrypt and verify your messages while you are composing and reading your mail with a click of a button.

If you are using an email application that is not supported by the plug-ins, you can use PGTools to perform PGP functions on files. You can also use PGP to encrypt and sign files to the hard disk of your computer for secure storage so that sensitive data cannot be recovered.

A quick overview

PGP is based on a widely accepted encryption technology known as *public key cryptography* in which two complementary keys, called a *key pair*, are used to maintain secure communications. One of the keys is designated as a private key to which only you have access and the other is a public key that you freely exchange with other PGP users. Both your private and your

public keys are stored in keyring files, which are accessible from the PGPkeys window. It is from this window that you perform all your key management functions.

To send someone a private email message, you use a copy of that person's public key to encrypt the information, which only they can decipher by using their private key. Conversely, when someone wants to send you encrypted mail, they use a copy of your public key to encrypt the data, which only you can decipher by using your private key. You can also use PGP to encrypt or sign files that are stored on your computer, to authenticate that they have not been altered.

You also use your private key to sign the email you send to others or to sign files to authenticate them. The recipients can then use their copy of your public key to determine if you really sent the email and whether it has been altered while in transit. When someone sends you email with their digital signature, you use a copy of their public key to check the digital signature and to make sure that no one has tampered with the contents.

With the PGP program you can easily create and manage your keys and access all of the functions for encrypting and signing as well as decrypting and verifying your email messages, files, and file attachments.

The rest of this section takes a quick look at the procedures you normally follow in the course of using PGP. For details concerning any of these procedures, refer to the appropriate chapters in this book.

Create a private and public key pair

Before you can begin using PGP, you need to generate a key pair. A PGP key pair is composed of a private key to which only you have access and a public key that you can copy and make freely available to everyone with whom you exchange information.

You have the option of creating a new key pair immediately after you have finished the PGP installation procedure, or you can do so at any time by opening the PGPkeys application.

Exchange public keys with others

After you have created a key pair, you can begin corresponding with other PGP users. You will need a copy of their public key and they will need yours. Your public key is just a block of text, so it is easy to trade keys with someone. You can include your public key in an email message, copy it to a file, or post it on a public or corporate key server where anyone can get a copy when they need it.

Validate your keys

Once you have a copy of someone's public key, you can add it to your public keyring. You should then check to make sure that the key has not been tampered with and that it really belongs to the purported owner. You do this by comparing the unique fingerprint on your copy of someone's public key to the fingerprint on that person's original key. When you are sure that you have a valid public key, you sign it to indicate that you feel the key is safe to use. In addition, you can grant the owner of the key a level of trust indicating how much confidence you have in that person to vouch for the authenticity of someone else's public key.

Encrypt and sign your email and files

After you have generated your key pair and have exchanged public keys, you can begin encrypting and signing email messages and files.

- If you are using an email application supported by the plug-ins, you can encrypt and sign your messages by selecting the appropriate options from your application's tool bar.
- If your email application is not supported by the plug-ins, you can copy the message to the clipboard and perform the appropriate functions from there. You can also encrypt and sign files from the Windows Explorer before attaching them to your email. Encrypting ensures that only you and your intended recipients can decipher the file's contents; signing ensures that any tampering will be readily apparent.

Decrypt and verify your email and files

When someone sends you encrypted email, you can unscramble the contents and verify any appended signature to make sure that the data originated with the alleged sender and that it has not been altered.

- If you are using an email application that is supported by the plug-ins, you can decrypt and verify your messages by selecting the appropriate options from your application's tool bar.
- If your email application is not supported by the plug-ins, you can copy the message to the clipboard and perform the appropriate functions from there. If you want to decrypt and verify file attachments, you can do so from the Windows Explorer. You can also decrypt encrypted files stored on your computer, and verify signed files to ensure that they have not been tampered with.

Wipe files

When you need to permanently delete a file, you can use the Wipe feature to ensure that the file is unrecoverable. The file is immediately overwritten so that it cannot be retrieved using disk recovery software.

Getting Started

This chapter explains how to run PGP and provides a quick overview of the procedures you will normally follow in using the product. It also contains a table of the icons used with PGPkeys.

System requirements

These are the system requirements for installing PGP Version 5.5:

- Windows 95 or NT
- 8 MB RAM
- 15 MB hard disk space

Compatibility with other versions

PGP has gone through many revisions since it was released by Phil Zimmermann as a freeware product in 1991. Although this version of PGP represents a significant rewrite of the original program and incorporates a completely new user interface, it has been designed to be compatible with earlier versions of PGP. This means that you can exchange secure email with people who are still using these older versions of the product:

- PGP 2.6 (Distributed by MIT)
- PGP 2.7x for the Macintosh (Released by ViaCrypt)
- PGP 4.0 (Released by ViaCrypt)
- PGP 4.5 (Released by PGP, Inc.)

- PGP for Personal Privacy, Version 5.0
- PGP for Business Security, Version 5.5

About PGP for Personal Privacy

PGP for Personal Privacy Version 5.5 supports the use of one type of key: Diffie-Hellman/DSS. Using PGP Version 5.5 for Personal Privacy, you can only create keys that use Diffie-Hellman encryption and DSS digital signature technologies. The DSS portion of the key is used for signing and the Diffie-Hellman part is used for encryption.

You cannot use existing RSA keys to decrypt and verify encrypted or signed messages and files nor generate new RSA keys. Using this release of PGP for Personal Privacy, you cannot use existing keys that were created using RSA encryption algorithms. If you are exchanging email or files with someone who is using an older version of PGP, they should upgrade to one of newer PGP versions to take advantage of the better user interface and features.

PGP for email and files

PGP for email and files Version 5.5 is a product designed for use by corporate audiences. You should be aware of some features it contains if you plan to correspond with people who are using it. PGP for email and files offers a Corporate Signing Key and Incoming and Outgoing Additional Decryption Keys.

A Corporate Signing Key is a public key that is designated as the organization-wide key that all users can trust to sign other keys.

Additional Decryption Keys are keys that allow security officers in organizations, under certain circumstances, to decrypt messages that have been sent to or from people within their organization. The Incoming Additional Decryption Key causes encrypted mail sent to people in an organization to also be encrypted to the Incoming Additional Decryption Key. The Outgoing Additional Decryption Key causes encrypted mail sent from people in an organization to also be encrypted to the Outgoing

Additional Decryption Key. You can use Key Properties to determine if a key has an Additional Decryption Key associated with it and you are alerted if you are encrypting to a key with an Additional Decryption Key.

Using PGP/MIME

PGP/MIME is a standard for some of the plug-ins that integrate PGP functions directly into popular email applications. If you are using an email application that is supported by one of the plug-ins offering PGP/MIME, you will be able to encrypt and sign as well as decrypt and verify your email messages and file attachments automatically when you send or receive email.

However, check before sending PGP/MIME email to be sure that your recipients are using an email application that supports this standard, or they may have difficulties decrypting and verifying your messages. You can also encrypt messages and files without using PGP MIME. To do so, leave this option deselected in the Preferences menu.

Upgrading from a previous version

If you are upgrading from a previous version of PGP (from either PGP, Inc. or ViaCrypt), you may want to remove the old program files before installing PGP to free up some disk space. However, you should be careful not to delete the private and public keyring files used to store any keys you have created or collected while using the previous version. When you install PGP, you are given the option of retaining your existing private and public keyrings so you don't have to go to the trouble of importing all of your old keys. To upgrade from a previous version, follow the steps listed in this section:

Upgrading from PGP Version 2.6.2 or 2.7.1

1. Make sure that you have exited all programs currently running on your computer.
2. Make backups of your old PGP keyrings on another volume. Your public keys are stored in `pubring.pgp` and your private keys are stored in `secring.pgp`.

NOTE: You may want to make two separate backups of your keyrings onto two different floppy disks just to be safe. Be especially careful not to lose your private keyring, otherwise you will never be able to decrypt any email messages or file attachments encrypted with the lost keys. Store the keyrings in a secure place where only you have access to them.

3. When you have backed up your old keyrings, remove or archive the (old) PGP 2.6.2 software from your hard disk. You have two options here:

Manually delete the entire old PGP262 directory and all of its contents.

Manually delete the `pgp.exe (262)` program and archive the remaining files, especially the `config.txt` and keyring files.

NOTE: If you obtain a copy of the newly patched PGP264 version from MIT, your old 2.6.x software will be able to read the RSA keys on the new 5.0 keyrings and will not fail when it encounters the new DSS/Diffie-Hellman format keys.

4. Install PGP 5.5, using the provided InstallShield executable.
5. When the installer asks if you have existing keyrings click yes, locate your old 262 keyrings, and follow the instructions to copy those keys to your new PGP 5.5 keyrings.
6. Restart your computer.

Upgrading from PGPmail 4.0

This process is the same as with PGP 2.6.2 (ViaCrypt PGP must be manually removed or archived). Be sure to keep backups of your keyrings. See also the ReadMe file for PGP 4.0.1 for UNIX and DOS, which describes the patched version for reading PGP 5.5 keyrings with the old ViaCrypt software.

Upgrading from PGPmail 4.5

1. Make sure that you have exited all programs and processes currently running on your computer.
2. If the PGP Enclyptor process (enclipt_32.exe) is running, end it so that it can be uninstalled.

To determine if the Enclyptor is running, look for its floating palette or its minimized icon in the taskbar. You can also use Control+Alt+Delete to bring up the Task Manager, select the process named The Enclyptor, and click the End Task button.

3. Choose the Settings/Control Panel item from the Start menu.
4. Double-click Add/Remove Programs.
5. Select the PGPmail 4.5 item.
6. Click the Add/Remove button. The Uninstall utility automatically deletes all the necessary files for you, and then cleans up your Registry file.

NOTE: If you are asked whether to delete any .dll files during the uninstall process, it's safe to remove them. PGP 5.5 software will install newer versions of those files.

7. Click OK to complete the removal and close the Add/Remove pane when complete.
8. Using the InstallShield utility to install the new PGP 5.5 software. It is recommended, but not mandatory, that you direct the installer to the default install directory.

9. When the installer asks if you have existing keyrings click on yes, locate your old PGP 4.5 keyrings, and follow the instructions to copy those keys to your new PGP 5.5 keyrings.
10. Restart your computer.

Upgrading from PGP Version 5.0

1. Make sure that you have exited all programs and processes currently running on your computer.
2. End the PGPtray task that may be running (so it can be uninstalled).

To determine if PGPtray.exe is running, check in the Tray area of the Taskbar for a small PGP envelope icon: if it is present, PGPtray is running. To end the task, click on the PGP tray icon and select the Quit PGPtray command at the bottom of the menu. You can also use Control+Alt+Delete to bring up the Task Manager, select the PGPtray process and click the End Task button.

3. Choose the Settings/Control Panel item from the Start menu.
4. Double-click on Add/Remove Programs.
5. Select the PGP 5.0bNN item.

Click the Add/Remove button. The Remove Shared File dialog box appears. You are asked to specify the filename and location.

NOTE: If you are asked whether to delete any .dll files during the uninstall process; it's safe to remove them. The PGP 5.5 software you install installs the newer versions of those files for you.

6. Click on OK to complete the uninstallation and dismiss the Add/Remove panel when complete.
7. Using the InstallShield utility to install the new PGP 5.5 software. It is recommended, but not mandatory, that you direct the installer to the default install directory.

8. When the installer asks you if you have existing keyrings click on yes, locate your old PGP 5.0 keyrings and follow the instructions to copy those keys to your new PGP 5.5 keyrings.

9. Restart your computer.

You can now run the new PGP 5.5 software!

Installing PGP Version 5.5

Here are the ways to install PGP 5.5:

- From a CD ROM
- From PGP's Web site.

ALERT: If you have installed earlier versions of PGP 5.5, you must remove the previous version completely. Go to the Start menu, choose Settings. Click the Add/Remove Programs button. Choose PGP 5.5, click Add/Remove, and click OK.

From a CD ROM

1. Start Windows.
2. Insert the CD ROM.
3. Run the Setup program.
4. Follow the on-screen prompts.

From the Network Associates Web site

1. Download the PGP program onto your computer's hard drive.
2. Double-click the PGP installation program icon.
3. Follow the on-screen prompts.

Running PGP

PGP works on the data generated by other applications. Therefore, the appropriate PGP functions are designed to be immediately available to you based on the task you are performing at any given moment. There are three primary ways to use PGP:

- From the System tray
- From within supported email applications
- From the Windows Explorer File menu

Using PGP from the System tray

You can access many of the main PGP functions by clicking the lock and key icon, which is normally located in the System tray, and then choosing the appropriate menu item. (If you can't find this icon in your System tray, run PGP from the Start menu).

Performing PGP functions from the clipboard

You will notice that many of the options on the System tray refer to PGP functions that you perform from the Windows clipboard. If you are using an email application that is not supported by the PGP plug-ins, or if you are working with text generated by some other application, you perform your encryption/decryption and signature/verification functions via the Windows clipboard.

For instance, to encrypt or sign text, you copy it from your application to the clipboard, encrypt and sign it using the appropriate PGP functions, then paste it back into your application before sending it to the intended recipients. When you receive an encrypted or signed email message, you simply reverse the process and copy the encrypted text, known as *ciphertext* from your application to the clipboard, decrypt and verify the information, and then view the contents. After you view the decrypted message, you can decide whether to save the information or retain it in its encrypted form.

Opening the PGPkeys window

When you choose Launch PGPkeys from the PGP pop-up menu, the PGPkeys window opens, showing the private and public key pairs you have created for yourself as well as any public keys of other users that you have added to your public keyring. (If you have not already created a new key pair, the PGP Key Wizard leads you through the necessary steps. However, before going through the process of creating a new key pair, you should see Chapter 3 for complete details about the various options.

From the PGPkeys window you can create new key pairs and manage all of your other keys. For instance, this is where you examine the attributes associated with a particular key, specify how confident you are that the key actually belongs to the alleged owner, and indicate how well you trust the owner of the key to vouch for the authenticity of other users' keys. For a complete explanation of the key management functions you perform from the PGPkeys window, see Chapter 6.

Setting PGP Preferences

When you choose PGP Preferences from the PGP pop-up menu, you access the PGP Preferences dialog box in which you specify settings that affect how the PGP program functions based on your computing environment.

By clicking the appropriate tab, you can advance to the preference settings you want to modify. For a complete explanation of these settings, see Chapter 6.

Getting Help

When you choose Help from the PGP menu or window, you access the PGP help system, which provides a general overview and instructions for all of the procedures you are likely to perform. Many of the dialog boxes also have context-sensitive help, which you access by clicking the question mark in the right corner of the window and then pointing to the area of interest on the screen. A short explanation appears.

Quitting PGP


By default, the PGP program runs whenever you start your computer, as indicated by the lock and key icon displayed in the System tray. If for some reason you need to quit running PGP from the System tray, you can do so by choosing Quit PGP from the PGP pop-up menu.

Using PGP from supported email applications

If you have one of the email applications supported by the PGP plug-ins, you can access the necessary PGP functions by clicking the appropriate buttons in your application's toolbar. For example, you click the lock icon to indicate that you want to encrypt your message and the quill icon to indicate that you want to sign it.



When you receive email from another PGP user, you decrypt the message and verify the person's digital signature by clicking the opened envelope.



The key and envelope button adds any keys included in the message onto your keyring. You can also access the PGPkeys window at any time while composing or retrieving your mail by clicking the PGPkeys button.

To make things even simpler, if you are using an email application with one of the plug-ins that supports the PGP/MIME standard, and you are communicating with another user whose email application also supports this standard, both of you can automatically encrypt and decrypt your email messages and any attached files when you send or retrieve your email. All you have to do is turn on the PGP/MIME encryption and signing functions from the PGP Preferences dialog box.

When you receive email from someone who uses the PGP/MIME feature, the mail arrives with an attached icon indicating that it is PGP/MIME encoded.

To decrypt the text and file attachments in PGP/MIME encapsulated email, and to verify any digital signatures, you simply double-click the opened envelope icon.

Using PGP from the Windows Explorer

You can encrypt and sign or decrypt and verify files such as word processing documents, spreadsheets and video clips directly from the Windows Explorer. If you are not using an email application such as Qualcomm Eudora that supports the PGP/MIME standard, or an application such as Exchange or Outlook that doesn't require PGP to encrypt or sign files, you must use this method to attach files that you want to send along with your email messages. You might also want to encrypt and decrypt files that you store on your own computer to prevent others from accessing them.

To access PGP functions from the Windows Explorer, choose the appropriate option from the PGP submenu of the File menu. The options that appear depend on the current state of the file you have selected. If the file has not yet been encrypted or signed, then the options for performing these functions appear on the menu. If the file is already encrypted or signed, then options for decrypting and verifying the contents of the file are displayed.

Selecting recipients

When you send email to someone whose email application is supported by the PGP plug-ins, the recipient's email address determines which keys to use when encrypting the contents. However, if you enter a user name or email address that does not correspond to any of the keys on your public keyring or if you are encrypting from the clipboard or from the Windows Explorer, you must manually select the recipient's public key from the PGP Key Selection dialog box. To select a recipient's public key, simply drag the icon representing their key into the Recipient's list box and then click OK.

For complete instructions on how to encrypt and sign and decrypt and verify email, see Chapter 4. If you want to encrypt files to store on your hard disk or to send as email attachments, see Chapter 5.






Taking shortcuts










Although you will find that PGP is quite easy to use, a number of shortcuts are available to help you accomplish your encryption tasks even quicker. For instance, while you are managing your keys in the PGPkeys window, you can press the right mouse button to perform all the necessary PGP functions rather than accessing them from the menu bar. You can also drag a file containing a key into the PGPkeys window to add it to your keyring.

Keyboard shortcuts are also available for most menu operations. These keyboard shortcuts are shown on all the PGP menus, and other shortcuts are described in context throughout this manual.

PGPkeys icon definitions

The following table shows all of the mini-icons used in the PGPkeys window, along with a description of what they represent.

ICON	WHAT IT REPRESENTS
	A pair of gold keys represents your Diffie-Hellman/DSS key pair, which consists of your private key and your public key.
	A single gold key represents a Diffie-Hellman/DSS public key.
	A pair of blue keys represents your RSA key pair, which consists of your private key and your public key.
	A single blue key represents an RSA public key.
	When a key or key pair is dimmed, it is temporarily unavailable for encrypting and signing. You can disable a key from the PGPkeys window, which prevents seldom-used keys from cluttering up the Key Selection dialog box.

ICON	WHAT IT REPRESENTS
	A key with a red line through it indicates that the key has been revoked. Users revoke their keys when they are no longer valid or have been compromised in some way. A key with a red X through it indicates the key that is invalid.
	A key with a clock indicates that the key has expired. A key's expiration date is established when the key is created.
	A diamond represents the owner of the key and lists the user names and email addresses associated with the key.
	A key with a clock indicates that the key has expired. A key's expiration date is established when the key is created.
	An envelope represents the owner of the key and lists the user names and email addresses associated with the key.
	An empty circle indicates that the key is invalid.
	A green circle indicates that the key is valid. A red circle indicates that the key has an associated Additional Decryption Key.
	A green diamond shows that you own the key and that it is implicitly trusted.
	A pencil or fountain pen indicates the signatures of the PGP users who have vouched for the authenticity of the key. A signature with a red line through it indicates a revoked signature. A signature with a red X through it indicates a bad or invalid signature. A signature with a blue arrow next to it indicates that it is exportable.

ICON**WHAT IT REPRESENTS**

A quill indicates the signatures of the PGP users who have vouched for the authenticity of the key. A signature with a red line through it indicates a revoked signature. A signature with a red X through it indicates a bad or invalid signature.



An empty bar indicates an invalid key or an untrusted user.



A half-filled bar indicates a marginally valid key or marginally trusted user.



A full bar indicates a completely valid key or a completely trusted user.



A striped bar indicates an implicitly valid key and implicitly trusted key. This setting is available only for the private and public key pairs you create.

Making and Exchanging Keys

This chapter describes how to generate the public and private key pairs that you need to correspond with other PGP users. It also explains how to distribute your public key and obtain the public keys of others so that you can begin exchanging private and authenticated email.

Key concepts

PGP is based on a widely accepted and highly trusted *public key cryptography* system by which you and other PGP users generate a key pair consisting of a private key and a public key. As its name implies, only you have access to your private key, but in order to correspond with other PGP users you need a copy of their public key and they need a copy of yours. You use your private key to sign the email messages and file attachments you send to others and to decrypt the messages and files they send to you. Conversely, you use the public keys of others to send them encrypted email and to verify their digital signatures..

NOTE: Without going into too much technical detail, you might be interested to know that it is not actually the content of the email that is encrypted using the public key encryption scheme. Instead, the data is encrypted using a much faster single-key algorithm, and it is this single key that is actually encrypted using the recipient's public key. The recipient then uses his or her private key to decrypt this key, which allows the recipient to decipher the encrypted data.

Making a key pair

Unless you have already done so while using another version of PGP, the first thing you need to do before sending or receiving encrypted and certified email is create a new key pair. A key pair consists of two keys: a private key that only you possess and a public key that you freely distribute to those with whom you correspond. You generate a new key pair from the PGPkeys window using the PGP Key Generation Wizard, which guides you through the process.

ALERT:

If you are upgrading from an earlier version of PGP, you have probably already generated a private key and have distributed its matching public key to those with whom you correspond. In that case you don't have to make a new key pair (as described in the next section). Instead, you specify the location of your keys when you open the PGPkeys window. You can go to the Edit menu in the PGPkeys Window, and choose Preferences. Select the File tab and enter the correct path to your existing keys at any time.

To create a new key pair

1. Either click the Windows Start button and then choose PGPkeys from the PGP submenu of the Programs menu or the PGP tray. You can also open this window by clicking the double keys icon located in your email application's toolbar.

The PGPkeys window opens.

2. Choose New Key from the Keys menu.

The PGP Key Generation Wizard provides some introductory information on the first screen.

3. When you are through reading this information, click Next to advance to the next screen.

The PGP Key Generation Wizard asks you to enter your user name and email address.

4. Enter your name on the first line and your email address on the second line.

It's not absolutely necessary to enter your real name or even your email address. However, using your real name makes it easier for others to identify you as the owner of your public key. Also, by using your correct email address, you and others can take advantage of a plug-in feature that automatically looks-up the appropriate key on your current keyring when you address mail to a particular recipient.

5. Click Next to advance to the next screen.

The Key Generation Wizard asks you to specify a size for your new keys.

6. Select a key size from 768 to 3072 bits, or enter a custom key size from 512 to 4096 bits.

NOTE:

It may take a long time to generate a custom key size depending on the computer that you are using.

The key size corresponds to the number of bits used to construct your digital key. The larger the key, the less chance that someone will be able to determine it, but the longer it takes to perform the decryption and encryption process. You need to strike a balance between the convenience of performing PGP functions quickly with a smaller key and the increased level of security provided by a larger key. Unless you are exchanging extremely sensitive information that is of enough interest that someone would be willing to mount an expensive and time-consuming cryptographic attack in order to read it, you are safe using a key composed of 1024 bits.

7. Click Next to advance to the next screen.

The PGP Key Generation Wizard asks you to indicate when the key pair should expire.

8. Indicate when you want your keys to expire. You can either accept the default selection, which is Never, or you can enter a specific number of days after which the keys will expire.

Once you create a key pair and have distributed your public key to the world, you will probably continue to use the same keys from that point on. However, under certain conditions you may want to create a special pair of keys that you plan to use for only a limited period of time. In this case, when the public key expires it can no longer be used to encrypt mail for you, but it can still be used to verify your digital signature. Similarly, when your key pair expires, it can still be used to decrypt mail that was sent to you before your public key expired but can no longer be used to sign mail for others.

9. Click Next to advance to the next screen.

The Key Generation Wizard asks you enter a passphrase.

10. In the PGP Passphrase Enter box, enter the string of characters or words you want to use to maintain exclusive access to your private key. To confirm your entry, press the Tab key to advance to the next line, then enter the same passphrase again.

Normally, as an added level of security, the characters you enter for the passphrase do not appear on the screen. However, if you are sure that no one is watching, and you would like to see the characters of your passphrase as you type, clear the Hide Typing check box.

TIP:

Your passphrase should contain multiple words and may include spaces, numbers, and punctuation characters. Choose something that you can remember easily but that others won't be able to guess. The passphrase is case sensitive, meaning that it distinguishes between uppercase and lowercase letters. The longer your passphrase, and the greater the variety of characters it contains, the more secure it is. Strong passphrases include upper and lowercase letters, numbers, punctuation, and spaces but are more likely forgotten. For more information, see "How to remember your passphrase," later in this chapter.

The Quality Bar shows the strength of your passphrase compared to the strength of the key being generated. A full bar means that they are roughly equivalent.

11. Click Next to begin the key generation process.

The PGP Key Generation Wizard indicates that it is busy generating your key.

If you have entered an inadequate passphrase, a warning message appears before the keys are generated and you have the choice of accepting the bad passphrase or entering a more secure one before continuing.

If there is not enough random information upon which to build the key, the PGP Random Data screen appears. As instructed in the screen, move your mouse around and enter a series of random keystrokes until the progress bar is completely filled in. Your mouse movements and keystrokes generate the random information that is needed to create a unique key pair.

NOTE: PGP Version 5.0 and later are constantly gathering random data from many sources on the system including mouse position, timing, and keystrokes. If the Random Data screen does not appear, it means that PGP has already collected all the data that it needs.

After the key generation process begins, it may take a while to generate the keys. In fact, if you specify a size other than the default values for a Diffie-Hellman/DSS key, the fast key generation option is not used and it may take hours to generate your key for larger size keys. Eventually the PGP Key Generation Wizard indicates that the key generation process has completed.

12. Click Next to advance to the next screen.

If you are creating a key with the same user name or email address as a previous key, you are given the opportunity to sign the new key with your older key. This endows the new key with same level of validity and trust as your older key when someone adds it to their keyring. The validity is based on those who have signed the key in the past, but it does not include the signatures from your old key.

13. If applicable, sign your new key with the older key and enter the passphrase for the old key, then click Next.

The Key Generation Wizard indicates that you have successfully generated a new key pair and asks if you want to send your public key to a key server.

14. Specify whether you want your new public key to be sent to the server and then click Next.

When you send your public key to the key server, anyone who has access to that key server can get a copy of your key when they need it. For complete details, see “Distributing your public key,” later in this chapter.

When the key generation process is complete, the final screen appears.

15. Click Finish.

A pair of keys representing your newly created keys appears in the PGPkeys window. Notice that the older RSA keys are blue skeleton keys and the newer Diffie-Hellman/DSS keys are yellow modern keys.

How to remember your passphrase

Encrypting a file and then finding yourself unable to decrypt it is a painful lesson in learning how to choose a passphrase you will remember. Most applications require a password between three and eight letters. A single word password is vulnerable to a “dictionary attack,” which consists of having a computer try all the words in the dictionary until it finds your password. To protect against this manner of attack, it is widely recommended that you create a word that includes a combination of upper and lowercase alphabetic letters, numbers, punctuation marks, and spaces. This results in a stronger password, but an obscure one that you are unlikely to remember easily. We do not recommend that you use a single-word passphrase.

A passphrase is less vulnerable to a dictionary attack. This is accomplished easily by using multiple words in your passphrase, rather than trying to thwart a dictionary attack by arbitrarily inserting a lot of funny non-alphabetic characters, which has the effect of making your passphrase too easy to forget and could lead to a disastrous loss of information because you

can't decrypt your own files. However, unless the passphrase you choose is something that is easily committed to long-term memory, you are unlikely to remember it verbatim.

Picking a phrase on the spur of the moment is likely to result in forgetting it entirely. Choose something that is already residing in your long-term memory. Reach deep into your long-term memory, perhaps recalling a silly saying you heard years ago and which has somehow stuck in your mind all this time. It should not be something that you have repeated to others recently, nor a famous quotation, because you want it to be hard for a sophisticated attacker to guess. If it's already deeply embedded in your long-term memory, you probably won't forget it.

Of course, if you are reckless enough to write your passphrase down and tape it to your monitor or to the inside of your desk drawer, it won't matter what you choose.

Protecting your keys

Once you have generated a key pair, it is wise to create a spare pair and put them in a safe place in case something happens to the originals. Your private keys and your public keys are stored in separate keyring files, which you can copy just like any other files to another location on your hard drive or to a floppy disk. By default, the private keyring (`secring.skr`) and the public keyring (`pubring.pkr`) are stored along with the other program files in the PGP file directory, but you can save your backups in any location you like. PGP creates backup copies of your public and private keys when you generate these keys. These copies are called `pubring.pkr.bak` and `secring.skr.bak`.

Besides making backup copies of your keys, you should be especially careful about where you store your private key. Even though your private key is protected by a passphrase that only you should know, it is possible that someone could discover your passphrase and then use your private key to decipher your email or forge your digital signature. For instance, somebody could look over your shoulder and watch the keystrokes you enter or intercept them on the network or even over the airwaves.

To prevent anyone who might happen to get hold of your passphrase from being able to use your private key, you should only store it on your own computer. If your computer is attached to a network, you should also make sure that your files are not automatically included in a system-wide backup where others might gain access to your private key. Given the ease with which computers are accessible over networks, if you are working with extremely sensitive information, you may want to keep your private key on a floppy disk, which you can insert like an old-fashioned key whenever you want to read or sign your private mail.

As another security precaution, consider assigning a different name to your private keyring file and then storing it somewhere other than in the default PGP file directory where it will not be so easy to locate.

Distributing your public key

After you create your keys, you need to make them available to others so that they can send you encrypted email and verify your digital signature. You have three alternatives for distributing your public key:

- Make your public key available through a public key server
- Include your public key in an email message
- Export your public key or copy it to a text file

Your public key is basically composed of a block of text, so it is quite easy to make it available through a public key server, include it in an email message or export or copy it to a file. The recipient can then use whatever method is most convenient to add your public key to their public keyring.

Making your public key available through a key server

The best method for making your public key available is to place it on a key server where anyone can access it. That way, people can send you email without having to explicitly request a copy of your key. It also relieves you and others from having to maintain a large number of public keys that you

rarely use. There are a number of key servers worldwide, including those offered by Network Associates, Inc., on which you can make your key available for anyone to access.

To send your public key to a key server

1. Open the PGPkeys window by clicking the lock and key icon in the System tray.
2. Select the icon that represents the public key you want to post on the key server.
3. Choose Send To Server from the Keys menu. As an alternative, you can press the right mouse button and choose Send to Key Server from the pop-up menu.
4. From the Send to Server submenu, choose the key server to which you want to send your keys. Depending on your PGP environment, you may have several to choose from.

After you place a copy of your public key on a key server, you can tell people who want to send you encrypted mail or to verify your digital signature to get a copy of your key from the server. Even if you don't explicitly point them to your public key, they can get a copy by searching the key server for your name or email address. Many people include the Web address for their public key at the end of their of their email messages; in most cases the recipient can just double-click the address to access a copy of your key on the server.

If you ever need to change your email address, or if you acquire new signatures, all you have to do to replace your old key is send a new copy to the server and the information is automatically updated. However, keep in mind that key servers are only capable of adding information and will not allow removal of users' names and signatures. If your key is ever compromised, you can revoke it, which tells the world to no longer trust that version of your key. See Chapter 6 for details on how to revoke a key.

Including your public key in an email message

Another convenient method of delivering your public key to someone is to include it in an email message.

To include your public key in an email message

1. Open the PGPkeys window by clicking the lock and key icon in the System tray.
2. Select your key pair and then choose Copy from the Edit menu.
3. Open the editor you use to compose your email messages, place the cursor in the desired area, and then choose Paste from the Edit menu. In newer email applications, you can simply drag your key from the PGPkeys window into the text of your email message to transfer the key information.

When you send someone your public key, be sure to sign the email. That way, the recipient can verify your signature and be sure that no one has tampered with the information along the way. Of course, the only way to truly be sure of the signature is from you is by verifying the fingerprint on your key if your key has not been signed by a trusted introducer.

Exporting your public key to a file

Another method of distributing your public key is to copy it to a file and then make this file available to the person with whom you want to communicate. There are three ways to copy your public key to a file:

- Select the icon representing your key pair from the PGPkeys window, then choose Export from the Keys menu and enter the name of the file where you want the key to be saved.
- Drag the icon representing your key pair from the PGPkeys window and drop it into the desired location in the Windows Explorer window.
- Select the icon representing your key pair in the PGPkeys window, choose Copy from the Edit menu and then choose Paste to insert the key information into a text document.

in PGP Preferences. This makes it very convenient for you to get a copy of their most up-to-date key whenever you want to send them mail and also relieves you from having to store a lot of keys on your public keyring.

With PGP Version 5.5, you can search for keys on a key server using these methods:

- User ID
- Key ID
- Key type (Diffie-Hellman or RSA)
- Creation date
- Expiration date
- Revoked keys
- Disabled keys
- Keys signed by a particular key

The inverse of these operations is also available. For example, you can search for “user ID” is not “Bob.”

To get someone’s public key from a key server

1. Open the PGPkeys window by clicking the lock and key icon in the System tray.
2. Choose Key Search from the Views menu of the PGKeys window
The Search screen appears.
3. Use the menu to enter search criteria to locate the users public key.

If a public key for the specified user is found, you are asked whether you want to add it to your public keyring. When you add a public key to your keyring, the key shows up in the PGPkeys window where you can examine it to make sure that it is valid.

Adding public keys from email messages

One convenient way to get a copy of someone's public key is to have that person include it in an email message. If you have an email application that is supported by the PGP plug-in, then you can add the sender's public key to your public keyring by simply clicking a button. For example, when an email message arrives with a block of text containing someone's public key, click the key and envelope button to have the key stored on your public keyring.

If you are using an email application that is not supported by the plug-ins, you can add the public key to the keyring by copying the block of text that represents the public key and pasting it into the PGPkeys window.

Importing a public key from a file

Another method of obtaining someone's public key is to have that person save it to a file from which you can import it or copy and paste it into your public keyring. There are three methods of extracting someone's public key and adding it to your public keyring.

- Choose Import from the Keys menu and then select the file.
- Drag the file containing the public key from the Windows Explorer window into the PGPkeys window.
- Open the text document where the public key is stored, select the block of text representing the key, and then choose Copy from the Edit menu. Go to the PGPkeys window and choose Paste from the Edit menu to copy the key. The key then shows up as an icon in the PGPkeys window.

Verifying the authenticity of a key

When you exchange keys with someone, it is sometimes hard to tell if the key really belongs to that person. PGP provides a number of safeguards that allow you to check a key's authenticity and to certify that the key belongs to

a particular owner. The PGP program also warns you if you attempt to use a key that is not valid and also defaults to warn you when you are about to use a marginally valid key.

One of the major vulnerabilities of public key encryption systems is the ability of some eavesdroppers to mount a “man-in-the-middle” attack by replacing someone’s public key with one of their own. In this way they can intercept any encrypted email intended for that person, decrypt it using their own key, then encrypt it again with the person’s real key and send it on to them as if nothing had ever happened. In fact, this could all be done automatically through a sophisticated computer program that stands in the middle and deciphers all of your correspondence.

Based on this scenario, you and those with whom you exchange email need a way to determine whether you do indeed have legitimate copies of each other’s keys. The best way to be completely sure that a public key actually belongs to a particular person is to have the owner copy it to a floppy disk and then physically hand it to you. However, you are seldom close enough to personally hand a disk to someone, you will generally exchange public keys via email or get them from a public key server.

Even though these are somewhat less secure methods of exchanging tamper-proof keys, you can still determine if a key really belongs to a particular person by checking its digital fingerprint, a unique series of numbers generated when the key is created. By comparing the fingerprint on your copy of someone’s public key to the fingerprint on their original key, you can be absolutely sure that you do in fact have a valid copy of their key. To find a key’s fingerprint, select the key in the PGPkeys window, and then choose Key Properties from the Keys menu.

The most definitive way to check a key’s fingerprint is to call the person and have them read their fingerprint to you over the phone. The second best way is through print. Some people have their fingerprints printed on their business cards, but the only way to ensure the card is legitimate is to have been given the card by its owner.

Once you are absolutely convinced that you have a legitimate copy of someone’s public key, you can then sign their key. By signing someone’s public key with your private key, you are certifying to the world that you

are sure the key belongs to the alleged user. By default, signatures you make on other keys will not be exported, which means that they only apply to the key when it is on your keyring.

Getting keys via trusted introducers

PGP users often have other trusted users sign their public keys to further attest to their authenticity. For instance, you might send a trusted colleague a copy of your public key with a request that they certify and return it so you can include their signature when you post your key on a public key server. Using PGP, when someone gets a copy of your public key, they don't have to check the key's authenticity themselves, but can instead rely on how well they trust the persons who signed your key. PGP provides the means for establishing this level of validity for each of the public keys you add to your public keyring and shows the level of trust validity associated with each key in the PGPkeys window. This means that when you get a key from someone whose key is signed by a trusted introducer, you can be fairly sure that the key belongs to the purported user. For details on how to sign keys and validate users, see "Signing someone's public key" in Chapter 6.

Sending and Receiving Private Email

This chapter explains how to encrypt and sign the email you send to others and decrypt and verify the email others send to you.

Encrypting and signing email

The quickest and easiest way to encrypt and sign email is with an application supported by the PGP plug-ins. Although the procedure varies slightly between different email applications, you perform the encryption and signing process by clicking the appropriate buttons in the application's toolbar. In addition, if you are using an application that supports the PGP/MIME standard or that doesn't require PGP/MIME, you can encrypt and sign your email messages as well as any file attachments when you send or receive your email.

If you are using an email application that is not supported by the PGP plug-ins, you can encrypt and sign your email messages via the Windows clipboard by selecting the appropriate option from the lock and key icon located in the System tray. To include file attachments, you encrypt the files from the Windows Explorer before attaching them.

TIP: If you are sending sensitive email, consider leaving your subject line blank or creating a subject line that does not reveal the contents of your encrypted message.

If you do not have one of the email applications that is supported by PGP, see Chapter 5 for information about how to encrypt files.

Encrypting and signing with supported email applications

When you encrypt and sign with an email application that is supported by the PGP plug-ins, you have two choices, depending on what type of email application the recipient is using. If you are communicating with other PGP users who have an email application that supports the PGP/MIME standard, you can take advantage of a PGP/MIME feature to encrypt and sign your email messages and any file attachments automatically when you send them. If you are communicating with someone who does not have a PGP/MIME-compliant email application, you should encrypt your email with PGP/MIME turned off to avoid any compatibility problems. The drawback with this method is that you must separately encrypt any file attachments you want to send with the email, unless you are using an application like Exchange, which allows you to encrypt and sign attachments without using PGP/MIME.

NOTE:

If you don't send your email immediately but instead store it in your outbox, you should be aware that when using some email applications, the information is not encrypted until the email is actually transmitted. Before queuing encrypted messages you should check to see if your application does in fact encrypt the messages in your outbox. If it does not, you might want to consider encrypting your messages via the clipboard before queuing them in the outbox. See Chapter 5 for more information.

To encrypt and sign with supported email applications

1. Use your email application to compose your email message just as you normally would.
2. When you have finished composing the text of your email message, specify whether you want to encrypt and sign the text of your message by clicking the lock and quill buttons.
3. Send your email message as you normally do.

If you have elected to sign the encrypted data, the Passphrase dialog box appears requesting your passphrase before the mail is sent.

4. Enter your passphrase and then click OK.

If you have a copy of the public keys for every one of the recipients, the appropriate keys are used. However, if you specify a recipient for whom there is no corresponding public key, the PGP Key Selection dialog box appears so that you can specify the correct key.

5. Drag the public keys for those who are to receive a copy of the encrypted email message into the “Recipients” list box. You can also double-click any of the keys to move them from one area of the screen to the other.

The Validity buttons indicate the minimum level of confidence that the public keys in the Recipient list are valid. This validity is based on the signatures associated with the key, and the trust indicates how well you can rely on the owner of the key to vouch for the authenticity of another user’s key. See Chapter 6 for more details

NOTE: If you are not using PGP/MIME or are using an email application that doesn’t require PGP/MIME, you must encrypt any files you want to send as attachments from the Windows Explorer before sending them.

6. Click **OK** to send your mail.

Decrypting and verifying email

The quickest and easiest way to decrypt and verify the email sent to you is with an application supported by the PGP plug-ins. Although the procedure varies slightly between different email applications, when you are using an email application supported by the plug-ins, you can perform the decryption and verification process by clicking a button in your application’s toolbar. In addition, if you are using an application that supports the PGP/MIME standard or doesn’t require PGP/MIME, you can decrypt and verify your email messages as well as any file attachments by simply clicking an icon attached to your email.

If you are using an email application that is not supported by the PGP plugins, you will decrypt and verify your email messages via the Windows clipboard. In addition, if your email includes encrypted file attachments, you must decrypt them separately from the Windows Explorer.

Decrypting and verifying from supported email applications

If you are communicating with other PGP users, and they have encrypted and signed their mail using the PGP/MIME standard, an locked envelope icon appears when you open your email.



Decrypt PGP/MIME Message

In that case, you can decrypt and verify the message and any attached files by simply double-clicking this icon.

If you are receiving email from someone who is not using a PGP/MIME-compliant email application, you will decrypt the email messages by clicking the opened envelope icon in your application's toolbar. Also, if there are any encrypted file attachments, you will decrypt them from the Windows Explorer or by double-clicking them.

To decrypt and verify from supported email applications

1. Open your email message as you normally do.

You will see a block of unintelligible ciphertext in the body of your email message.

2. To decrypt and verify the contents of the email message, click the opened envelope button in your application's toolbar.

The PGP Enter Passphrase dialog box appears asking you to enter your passphrase.

3. Enter your passphrase and then click OK.

The message is decrypted. If it has been signed, a panel appears indicating whether the signature is valid.

4. After you have read the message, you can save it in its decrypted state, or you can save the original encrypted version so that it remains secure.

About PGPlot

The PGPlot window appears when you verify a signed message. It displays the following information:

- The name of the file or the application that is verifying the message
- An icon that indicates whether the signature was verified (a red slash indicates that the signature was not verified)
- The name of the signing key, if the key is on your keyring
- The date of the signature

Under some circumstances, additional information is displayed:

- Signing key not found
- Bad Signature
- Revoked Key
- Expired Key
- Disabled Key
- Invalid Key

About recipient groups

You can use PGP to create recipient groups. For example, if you want to send encrypted mail to 10 people in at engineering@xyz.com, you could create a group with that name. The Groups menu contains a Show Groups item that toggles the display of the Groups section of the PGPkeys window.

After you create a group, you can use the Groups popup menu when working with groups. To access the Groups popup menu, select a group and press the right mouse button. You can paste into Groups, delete Groups, get keys from server, and examine Group Properties.

To create a group

1. Choose New Group from the Groups menu.
2. Type the name of the Group.
3. If you want, you can type a group description, which is listed as Group Properties.

To add members to a group

1. Select the person's key to be included in a group from the PGPkeys window.
2. Drag the name of the user from the PGPkeys window to the desired group in the Groups pane.

To delete a group

1. Select the group from the Groups pane of the PGPkeys windows.
2. Press the Delete key or choose Delete Groups from the pop-up menu.

To add a group to another group

1. Select the group that you want to place within another group.
2. Drag the selected group into the other group.

To delete group members

1. Select the group member to be deleted.
2. Choose Remove from the pop-up menu.
PGP asks you to confirm your choice.

3. Confirm by pressing Yes.

To send encrypted email to groups

1. Address the mail to your mail group

The name of your encryption group must correspond to the name of the email group. Your email administrator may have set up email groups, such as engineering or finance.

2. Encrypt the message.
3. Send the message.

Using PGP for Secure File Storage

This chapter describes how to use PGP functions without using email plug-ins. It describes how to use PGP to encrypt and decrypt, and how to sign and verify files via the clipboard and from the Windows Explorer using PGPtools or the PGPmenu so that you can encrypt and sign files either for email or for secure storage on your computer or on a file server. It also describes the PGP Wipe function, which deletes files by wiping them completely from your computer.

Using PGP to encrypt and decrypt files

You can use PGP to encrypt and sign files without using an email plug-in so that you can send encrypted or signed files as email attachments. You can also use the techniques described in this chapter to encrypt and sign files that you store on your computer or file server.

Encrypting and signing via the clipboard

If you are using an email application that is not supported by the PGP plug-ins, you can encrypt and sign your files via the Windows clipboard. You do this by clicking the lock and key icon located in the System tray and then selecting the appropriate option. Essentially you copy the contents of your message or files to the clipboard, encrypt it, and/or sign its contents. You

then paste it into your email editor before sending it, or save it as a signed or encrypted file. If you plan to attach any files with your message, you must encrypt them from the Windows Explorer before attaching them.

To encrypt and sign via the clipboard

1. Use the editor supplied with your email application or your favorite word-processing program to create the file.
2. When you are ready to send the message, select the area of text you want to encrypt, or choose Select All from the Edit menu.

NOTE: You will probably lose any word-processor-specific formatting when encrypting a message.

3. Choose Copy from the Edit menu to copy the contents of your message to the clipboard.

TIP: Any time you copy or cut text in your application, it is temporarily stored on the clipboard.

4. Click the lock and key icon in the System tray and choose Encrypt Clipboard, Sign Clipboard, or Encrypt And Sign Clipboard.

If you indicate that you want to encrypt the contents of the clipboard, the PGP Key Selection Dialog box appears.

5. Drag the public keys for those who are to receive a copy of the encrypted email message into the Recipients list box.

If you are encrypting a file to store it securely, select yourself as the recipient.

The Validity button indicates the minimum level of confidence that the public keys in the Recipient list are valid. This validity is based on the signatures associated with the key.

6. Click OK.

If you have chosen to sign the message, the PGP Signing Passphrase dialog box appears requesting your personal passphrase for your default private key. If you have other key pairs and you want to use one of those instead, click the arrow and select the appropriate key.

7. Enter your passphrase and then click OK.
8. If you are sending the encrypted file in an email message, copy the encrypted message back into your email application.
9. Send your email or store the encrypted file on your hard disk or file server.

Decrypting and verifying via the clipboard

If your email application is not supported by the PGP plug-ins, or if you have encrypted or signed files for secure storage, you must copy the contents of your message to the clipboard in order to decrypt it or to verify any digital signatures. If the email contains file attachments, you decrypt and verify them through the Windows Explorer.

To decrypt and verify via the clipboard

1. In the editor supplied with your application, select the encrypted text and then copy it to the clipboard.

In most applications, choose Copy from the Edit menu to copy the text to the Windows clipboard.

2. Click the lock and key icon in the System tray to open the PGP pop-up menu. Choose Decrypt/Verify Clipboard to initiate the decryption and verification process.

The PGP Enter Passphrase dialog box appears asking you to enter your passphrase.

3. Enter your passphrase and then click OK.

The message is decrypted. If has been signed, a message appears indicating whether the signature is valid.

4. To view the contents of the deciphered email message, choose Edit Clipboard Text from the PGP pop-up menu. You can then copy the contents back to your text editor and save it if you like.

Encrypting and signing from the Windows Explorer

If you plan to send an encrypted file as an attachment with your email message, or if you want to encrypt a file to protect it on your computer or file server, you can do so from the Windows Explorer.

To encrypt and sign from the Windows Explorer

1. Open the Windows Explorer from the Start menu.
2. Select the file (or files) that you want to encrypt.
3. Choose the desired option from the PGP submenu of the File menu or from the pop-up menu, which you access by pressing the right mouse button.

The PGP Key Selection Dialog box appears, in which you can select the recipient's public keys for the file you are encrypting or signing. You have several options:

- When sending files as attachments with some email applications, you may need to select the Text Output check box to have the file saved as ASCII text. This is sometimes necessary in order to send a binary file using older email applications.
- If you want the output of the encrypted file saved in a text format that can be handled by all email applications, select the Text Out check box. Selecting this option increases the size of the encrypted file by about 30 percent.
- With Passphrase Only, you can use conventional encryption, which means that you rely on a common passphrase rather than on public key cryptography. The file is encrypted using a session key, which encrypts using a passphrase that you are asked to create.

- **Wipe Original** overwrites the original document that you are encrypting or signing, so that your sensitive information is not readable by anyone who can access your hard disk

ALERT: Even on systems with virtual memory, PGP correctly writes over all the contents of the file. It is worth noting that application programs that may have saved the file prior to encrypting the file, may have left fragments of the file on your disk in locations which are no longer considered part of the file. See “Vulnerabilities” in Chapter 8 on Virtual Memory. Consider using a third-party utility to wipe all free space on your disk to solve this problem. PGP does not currently have this feature.

- If you have signed the files, you are asked to supply your passphrase.
 - If you are adding your signature to the encrypted file and would like the signature to be stored in a separate file, select the Separate Signature File check box.
4. Select the public keys by dragging them to the Recipients list and then click OK.

The Save Encrypted File As dialog box appears.

5. Specify the location and enter the name of the file where you want to save the encrypted version of the file. The .pgp extension is automatically appended to the file name unless you have turned on the ASCII Armor option, in which case the .asc extension is used.
6. Click Save to save the file to the specified location.

If you look in the directory where you saved the file, you will find a file with the specified name represented by one of two icons:



.pgp

Encrypted with standard output



.asc

Encrypted with text output

Decrypting and verifying from the Windows Explorer

If the email you receive has file attachments, and you are not using a PGP/MIME-compliant email application or an application that doesn't require PGP/MIME, you must decrypt them from the Windows Explorer.

To decrypt and verify from the Windows Explorer

1. Open the Windows Explorer from the Start menu.
2. Select the file (or files) that you want to decrypt and verify.
3. Choose Decrypt/Verify from the PGP submenu of the File menu, or press the right mouse button to open the PGP pop-up menu and then choose Decrypt/Verify.

The PGP Enter Passphrase dialog box appears asking you to enter your passphrase.

4. Enter your passphrase and then click OK.

If the file has been signed, a message appears indicating whether the signature is valid.

5. Click OK.

The Save Decrypted File As dialog box appears.

6. Specify the location and enter the name of the file where you want to save the decrypted version of the file.

If you do not explicitly enter a name, the original name is used.

7. Click the Save button to save the file.

The decrypted file is saved in the specified location.

Using PGP functions from the Windows Explorer

PGPtools and the PGPtray provide another way of using PGP functions on files and folders. To access these functions, select a file and press the right mouse button to open the PGP pop-up menu, which contains the following choices:

- Encrypt
- Sign
- Encrypt and Sign
- Wipe

To access the PGP tools, click the locked envelop icon in your System tray or select PGPtools from the PGP directory. In addition to the functions listed on the PGP pop-up menu, the PGPtools include the functions Decrypt and Verify.

See “Encrypting and signing from the Windows Explorer,” earlier in this chapter for instructions on how to encrypt and sign files.

Wipe overwrites files and their contents and deletes them from your computer. The Wipe feature is a secure way of permanently removing a file and its contents from the hard drive of your computer. In the Windows operating system, when you delete a file, the name of the file has been removed from the file directory. Wipe removes all traces of a file’s data, so that no one can use a software tool to recover the file.

To permanently overwrite a file

1. Open the Windows Explorer from the Start menu.
2. Select the file or files that you want to wipe.
3. Open the PGP pop-up menu or access PGPtools.

To open the PGP menu, select the file and press the right mouse button. Choose PGP. A submenu appears that contains the commands Encrypt, Sign, Encrypt and sign, and Wipe appears.

4. Choose Wipe.

ALERT If you use PGP Wipe to delete a Windows shortcut for an application, you also delete the application itself.

5. Select the file or choose Open from the Select Files dialog box to wipe the file.

A Last Chance Confirmation dialog box appears asking if you are sure you want to securely wipe the files.

6. Click Yes to wipe the file or files.

ALERT Even on systems with virtual memory, PGP correctly writes over all the contents of the file. It is worth noting that application programs that may have saved the file prior to encrypting the file, may have left fragments of the file on your disk in locations which are no longer considered part of the file. See “Swap Files or Virtual Memory” in Chapter 8. Also, be aware that many programs automatically save files in progress, so there may be backed up copies of the file that you want to delete. Consider using a third-party utility to wipe all free space on your disk to solve this problem. PGP does not currently have this feature.

Managing Keys and Setting Preferences

This chapter explains how to examine and manage the keys stored on your keyrings. It also describes how to set your preferences to suit your particular computing environment.

Managing your keys

The keys you create, as well as those you collect from others, are stored on keyrings, which are essentially files stored on your hard drive or on a floppy disk. Normally your private keys are stored in a file named `secring.skr` and your public keys are stored in another file named `pubring.pkr`. These files are usually located in the same program directory as the other PGP program files. The following icons are used to represent your private and public keyring files, making them easy to distinguish when you are browsing through your files.



Private Keyring



Public Keyring

NOTE

If you are not comfortable storing your keys in the usual place, you can choose a different file name or location. For details, see “*Setting your preferences.*” later in this chapter.

Occasionally you may want to examine or change the attributes associated with your keys. For instance, when you obtain someone's public key, you might want to identify its type (either RSA or Diffie-Hellman/DSS), check its fingerprint, or determine its validity based on any digital signatures included with the key. You may also want to sign someone's public key to indicate that you believe it is valid, assign a level of trust to the key's owner, or change a passphrase for your private key. All the key server searching and key-management functions from the PGPkeys window.

The PGPkeys window

To open the PGPkeys window, click the lock and key icon in the System tray, and then choose Launch PGPkeys, or double-click the PGPkeys icon.

The PGPkeys window displays the keys you have created for yourself, as well as any public keys you have added to your public keyring.

Double keys represent the private and public key pairs you have created for yourself, and single keys represent the public keys you have collected from others. If you have more than one type of key, you will notice that RSA-type keys are blue skeleton keys and Diffie-Hellman/DSS keys are modern gold keys.

By clicking on the triangle at the left side of the key icon, you can expand the entries to reveal the user ID and email address for the owner of the key as represented by the envelope icons. By clicking the plus sign beside an envelope icon, you can see the signatures of any users who have certified the key, as represented by the quill icon. If you don't want to double-click down through the levels of information for each key, simply select the key of interest, and then choose Expand Selection from the Edit menu.

Choose the display in the PGPkeys window

1. Select Choose Columns from the Keys menu.

The Select Columns dialog box appears displaying the Available Fields, with key attributes that are not currently displayed, and Show These Columns, with the key attributes that are currently displayed. The default displayed columns are Validity, Size, and Description.

2. To add to the attributes that are displayed in the PGPkeys window, click the attribute from Available Fields and then click the Add button.
3. To remove an attribute that is currently displayed in the PGPkeys window, click the attribute and click the Remove button.
4. Click OK to display the new choices or click Cancel to return to the previous display.

PGPkeys attribute definitions

Along the top of the window are labels that correspond to the attributes associated with each key.

Keys Shows an iconic representation of the key along with the user name and email address of the owner and names of the signers.

Validity Indicates the level of confidence that the key actually belongs to the alleged owner. The validity is based on who has signed the key and how well you trust the signer(s) to vouch for the authenticity of a key. The public keys you sign yourself have the highest level of validity, based on the assumption that you only sign someone's key if you are totally convinced that it is valid. The validity of any other keys, which you have not personally signed, depends on the level of trust you have granted to any other users who have signed the key. If there are no signatures associated with the key, then it is not considered valid, and a message indicating this fact appears whenever you use the key.

Validity is indicated by either circle or bar icons, depending upon your Advanced Preferences "Display marginal validity level" setting (see "Advanced preferences" later in this chapter). If set, then validity appears as

- an empty bar for invalid keys
- a half-filled bar for marginally valid keys
- a filled bar for valid keys that you do not own

- a striped bar for valid keys that you do own

If not set, then validity appears as

- a gray circle for invalid keys and marginally valid keys if the Advanced Preferences “Treat marginally valid keys as invalid” is set
- a green circle for valid keys that you do not own
- a green diamond for valid keys that you do own

Trust

Indicates the level of trust you have granted to the owner of the key to serve as an introducer for the public keys of others. This trust comes into play when you are unable to verify the validity of someone’s public key for yourself and instead rely on the judgment of other users who have signed the key. When you create a pair of keys, they are considered implicitly trustworthy, as shown by the striping in the trust and validity bars or by a diamond validity indicator.

When you receive a public key from someone that has been signed by another of the user’s keys on your public keyring, the level of authenticity is based on the trust you have granted to the signer of that key. You assign a level of trust, either Complete, Marginal, or Untrusted in the Key Properties dialog box.

Trust is not displayed initially in the PGP keys display. You can display the Trust column by choosing Columns from the View menu.

Creation

Shows the date when the key was originally created. You can sometimes make an assumption about the validity of a key based on how long it has been in circulation. If the key has been in use for a while, it is less likely that someone will try to replace it because there are many other copies in circulation. You should not rely on the creation date as the sole indicator of validity.

Expiration Shows the date when the key will expire. Most keys are set to Never; however, there may be instances when you want to use a key for a fixed period of time.

Additional Decryption Key (ADK)

Shows whether the key has an associated Additional Decryption Key. (See Chapter 2 for an explanation).

Size Shows the number of bits used to construct the key. Generally, the larger the key, the less chance that it will ever be compromised. However, larger keys require slightly more time to encrypt and decrypt data than do smaller keys. When you create a Diffie-Hellman/DSS key, there is one number for the Diffie-Hellman portion and another number for the DSS portion. The DSS portion of the key is used for signing and the Diffie-Hellman part is used for encryption.

Examining a key's properties

In addition to the general attributes shown in the PGPkeys window, you can also examine and change other key properties. To access the properties for a particular key, select the desired key and then choose Key Properties from the Keys menu.

Key ID A unique identifying number associated with each key. This identification number is useful for distinguishing between two keys that share the same user name and email address.

Created The date when the key was created.

Key Type The key type, either RSA or Diffie-Hellman/DSS.

Cipher CAST, Triple DES, or IDEA. This is the preferred cipher, by which the owner of the key requests that you encrypt her or his public key. If the algorithm is enabled in Advanced Preferences, it can be used when encrypting to this key and this cipher is used form conventional encryption.

Expires	The date when the key expires. The owner specifies this date when they create their keys, and the value is usually set to Never. However, some keys are set to expire on a particular date if the owner wants them to be used for a limited period of time.
Trust	Indicates the validity of the key based on its certification and the level of trust you have in the owner to vouch for the authenticity of someone else's public key. You set the trust level by sliding the bar to the appropriate level (Complete, Marginal, or Untrusted). The bar is not shown for revoked, expired and implicitly trusted keys, such as your own key.
Fingerprint	A unique identification number that is generated when the key is created. This is the primary means by which you can check the authenticity of a key. One good way to check a fingerprint is to have the owner read their fingerprint to you over the phone so that you can compare it with the fingerprint shown for your copy of their public key. You can also check the authenticity of someone's key by comparing the fingerprint on your copy of their key to the one listed on a key server, because it is assumed that the owner periodically checks to make sure that it remains valid.
Enabled	Indicates whether the key is currently enabled. When a key is disabled, it is dimmed in the PGPkeys window and is not available for performing any PGP functions except decrypting and verifying. However, the key remains on your keyring and you can enable it again at any time. To enable or disable a key, select or clear the Enabled check box, or choose Enable or Disable from the Keys menu. This feature is useful for preventing keys from cluttering up the PGPkeys Window when you are sending encrypted email.

Change Passphrase

Changes the passphrase for a private key. If you ever think that your passphrase is no longer a secret, click this button to enter a new passphrase. It is a good idea to change your passphrase every six months. See “Changing your passphrase” in this chapter.

Specifying a default key pair

When you sign a message or someone’s public key, your default key pair is used. If you have more than one pair of keys, you may want to specifically designate one pair as your default pair. The current default key pair is displayed in bold type to distinguish these keys from your other keys.

Specify your default key pair

1. Select the key pair you want designated as your default pair.
2. Choose Set As Default Key from the Keys menu.

The selected key is displayed in bold type, indicating that it is now designated as your default key pair.

Adding a new user name or address

You may have more than one user name or email address for which you want to use the same pair of keys. After creating a new pair of keys, you can add alternate names and addresses to the key. You can only add a new user name or email address if you have both the private and public keys.

To add a new user name or address to an existing key

1. Select the key pair for which you want to add another user name or address.
2. Choose Add Name from the Keys menu.

The PGP New User Name dialog box appears.

3. Enter the new name and then press Tab to move to the next field.
4. Enter the new email address, and then click OK.

The PGP Enter Passphrase dialog box appears asking you to enter your passphrase.

5. Enter your passphrase and then click OK.

The new name is added to the end of the user name list associated with the key. If you want to set the new user name and address as the primary identifier for your key, select the name and address, and then choose the Keys menu, and click Set As Primary User ID from the Keys menu.

Checking a key's fingerprint

It is often difficult to know for sure that a key belongs to a particular individual unless that person physically hands the key to you on a floppy disk. Exchanging keys in this manner is not usually practical, especially for users who are located many miles apart, but you can rely on the unique fingerprint associated with each key to verify that a key does indeed belong to the alleged owner. There are several ways to check a key's fingerprint, but the safest is to call the person and have them read the fingerprint to you over the phone. It is highly unlikely that someone will be able to intercept this random call and imitate the person you expect to hear on the other end. You can also compare the fingerprint on your copy of someone's public key to the fingerprint listed for their original key on a public server.

Check a key's fingerprint

1. Select the key for the fingerprint you want to check.
2. Choose Key Properties from the Keys menu.
3. Note the fingerprint and compare it to the original.

Signing someone's public key

When you create a pair of keys, they are automatically signed using your public key. Similarly, once you are sure that a key belongs to the proper individual, you can sign that person's public key, indicating that you are sure it is a valid key. When you sign someone's public key, an icon associated with your user name is shown for that key.

Sign someone's public key

1. Select the key you want to sign.
2. Choose Sign from the Keys menu.

The PGP Sign Keys dialog box appears.

3. You are asked whether to allow signature to be exported. Others may rely on your signature.

Select this check box if you want your signature to be exported.

4. If you would like to send the key with your signature to a key server, select the Send Signature to Keyserver check box. The public key on the server is updated to reflect the inclusion of your signature. Most users prefer to use their own discretion when allowing others to sign their keys, so it is always a good idea to check with the owner before you add your signature to their key on the server.

A check box is displayed that says "Allow signature to be exported. Others may rely on your signature." An exportable signature is one that can be seen with a user's public key on the key server and is allowed to be sent to servers and travels with the key whenever it is copied by dragging it into an email message.

5. Click OK to indicate your certainty that the key does indeed belong to the alleged owner.
6. The PGP Signing Passphrase dialog box appears. You are asked to enter the passphrase for your default key pair.

7. When you sign someone's public key, an icon associated with your user name is shown for that key.

Granting trust for key validations

Besides certifying that a key belongs to someone, you can assign a level of trust to the user of the keys indicating how well you trust them to act as an introducer to others whose keys you may get in the future. This means that if you ever get a key from someone that has been signed by an individual whom you have designated as trustworthy, the key is considered valid even though you have not done the check yourself.

Grant trust for a key

1. Select the key for which you want to change the trust level.

Choose Key Properties from the Keys menu.

The Properties dialog box appears.

2. Use the trust level sliding bar to choose the appropriate level of trust for the key: Untrusted, Marginal, or Complete.
3. Click OK to accept the new setting.

Disabling and enabling keys

Sometimes you may want to temporarily disable a key. The ability to disable keys is useful when you want to retain a public key for future use, but you don't want it cluttering up your Recipient list every time you send mail.

Disable a key

1. Select the key you want to disable.
2. Choose Disable from the Keys menu.

The key is dimmed and is temporarily unavailable for use.

Enable a key

1. Select the key you want to enable.
2. Choose Enable from the Keys menu.

The key becomes visible and can be used as before.

Deleting a key or signature

At some point you may want to remove a key, a signature, or a user ID associated with a particular key.

Delete a key, signature, or user ID

1. Select the key, signature, or user ID you want to delete.
2. Choose Delete from the Edit menu.

Changing your passphrase

It is a good idea to change your passphrase every six months.

Change your passphrase

1. Select the key pair for which you want to change the passphrase.
2. Choose Key Properties from the Keys menu.
The Properties dialog box appears.
3. Click Change Passphrase.
The Change Passphrase dialog box appears.
4. Enter your old passphrase in the top field and then press the Tab key to advance to the next field.
5. Enter your new passphrase in the center field and then press the Tab key to advance to the bottom field.

6. Confirm your entry by entering your new passphrase again.
7. Click OK.

Importing and exporting keys

Although you often distribute your public key and obtain the public keys of others by cutting and pasting the raw text from a public or corporate key server, you can also exchange keys by importing and exporting them as separate text files. For instance, someone could hand you a disk containing their public key, or you might want to make your public key available on an FTP server.

Import a key from a file

1. Choose Import from the Keys menu.

The Select File Containing Key dialog box appears.

2. Select the file that contains the key you want to import and then click Open.

The imported key appears in the PGPkeys window, where you can use it to encrypt data and to verify someone's digital signature.

Export a key to a file

1. Select the key you want to export to a file.

2. Choose Export from the Keys menu.

The Export Key to File dialog box appears.

3. Enter the name of the file to which you want the key to be exported and then click Save.

The exported key is saved to the named file in the specified directory location.

Add a key from an email message

If a colleague sends you an email message with their key enclosed as a block of text, you can add it to your keyring.

1. With the email message open, open the PGPkeys window.
2. Tile the two windows so that you can see part of the PGPkeys window behind the message window.
3. Select the key text including the BEGIN PGP PUBLIC KEY BLOCK and END PGP PUBLIC KEY BLOCK text.
4. The Select Keys to Import dialog box appears displaying the keys that you have copied. Choose the keys you want to copy by choosing Select All, Unselect All, Import, or Cancel.
5. The new key or keys will appear in the PGPkeys window.

Revoking a key

If you no longer trust your personal key pair, you can issue a revocation telling everyone to stop using your public key. The best way to circulate a revoked key is to place it on a public key server.

Revoke a key

1. Select the key pair to revoke.
2. Choose Revoke from the Keys menu.

A message appears with some brief information about the implications of revoking a key and asking you to specify whether you really want to revoke the selected key.

3. Click Yes to confirm your intent to revoke the selected key.

The PGP Enter Passphrase dialog box appears asking you to enter the passphrase.

4. Enter your passphrase and then click OK.

When you revoke a key, it is crossed out with a red line to indicate that it is no longer valid.

5. Send the revoked key to the server so everyone will know not to use your old key.

It is possible that you might forget your passphrase someday. In that case, you would never be able to use your key again, and you would have no way of revoking your old key when you create a new one. To safeguard against this possibility, you can create a revocation key by making a copy of your private key, revoking the copy, and saving it in a safe place. You can then send the revoked copy to a public key server if you ever forget your password. However, you should be very careful about where you store the revoked version of your key. If someone were to get hold of the revoked key, they could revoke your key without your approval.

Setting your preferences

PGP is configured to accommodate the needs of most users, but you have the option of adjusting some of the settings to suit your particular computing environment. You specify these settings through the Preferences dialog box, which you can access using one of the following methods:

- Click the lock and key icon and choose Preferences.
- Choose Preferences from the Edit menu in the PGPkeys window.

General preferences

You specify general encryption settings from the General pane.

Always Encrypt to Default Key

When this check box is selected, all the email messages and file attachments you encrypt with a recipient's public key are also encrypted to you using your default public key. It is useful to leave this setting turned on so that you have the option of decrypting the contents of any email or files you have previously encrypted.

Cache Decryption Passphrase

This setting specifies the amount of time (in hours: minutes: seconds) that your encryption passphrase is stored in your computer's memory. If you regularly compose or read several email messages in succession, you may want to increase the amount of time your passphrase is cached so you don't have to enter it over and over again to get through all of your mail. However, remember that the longer your passphrase is stored in your computer's memory, the more time a sophisticated snooper has to get hold of this highly compromising bit of information. By default, this is set to two minutes, which is probably sufficient to perform most of your PGP chores without having to enter your passphrase too many times, but not long enough for you to walk away and an attacker find it in your computer's memory.

Cache Signing Passphrase

This setting specifies the amount of time (in hours: minutes: seconds) that your signing passphrase is stored in your computer's memory. If you regularly compose or read several email messages in succession, you may want to increase the amount of time your passphrase is cached so you don't have to enter your passphrase over and over again to get through all of your mail.

Using your passphrase for signing is considered a greater threat in some cases because an attacker can attempt to impersonate you, which is why Cache Passphrase Signing is handled separately from decryption. The cache timer begins and resets every time you sign a message and erases the passphrase from memory immediately upon expiration of the timer. This cache defaults to Off due to the complex security implications.

Comment Block

When this setting is selected, your comment text will always be included in messages and files that you encrypt or sign. PGP recommends selecting this setting.

Faster Key Generation

When this check box is selected, less time is required to generate a new Diffie-Hellman/DSS key pair. This process is sped up by using a previously calculated set of prime numbers rather than going through the time-consuming process of creating them from scratch each time a new key is generated. However, remember that fast key generation is only implemented for the fixed key sizes between 1024 and 4096 provided as options when you create a key, and is not used if you enter some other value. Although it would be just about impossible for anyone to crack your key based on their knowledge of these canned prime numbers, you may want to spend the extra time to create a key pair with the maximum level of security. Most cryptographers believe that using “canned primes” pose no greater security risk.

Display Wipe Confirmation

When this setting is selected, a dialog box appears before you wipe a file to give you the last chance to change your mind before PGP securely overwrites the contents of the file and deletes it from your computer.

Files preferences

Click the Files tab to advance to the pane in which you specify the location of the keyrings used to store your private and public keys.

Public Key Ring File

Shows the current location and name of the file where the PGP program expects to find your public keyring file. If you plan to store your public keys in a file with a different name or in some other location, you specify this information here. You can use the Browse button to search through your files rather than having to type the path. This is also the location where all automatic backups of the public keys are stored.

Private Key Ring File

Shows the current location and name of the file where the PGP program expects to find your private keyring file. If you plan to store your private keys in a file with a different name or in some other location, you specify this information here. Some users like to keep their private keyring on a floppy disk, which they insert like a key whenever they need to sign or decrypt mail. This is also the location where all automatic backups of the private keys are stored.

Random Seed file

Shows the location of the randseed.bin file. This file stores random data used during encryption and key generation. Some users may wish to keep their Random Seed File in a secure location to prevent tampering. This attack is very difficult and PGP has many different protection against it.

Email preferences

Click the Email tab to advance to the pane in which you specify preferences that affect the way PGP functions are implemented for those email applications that are supported by the PGP plug-ins. Remember that the PGP/MIME option is not applicable for all email applications.

Use PGP/MIME When Sending Email

When this check box is selected, you don't need to explicitly turn on PGP/MIME each time you sent email. If you are using Eudora, and you turn this setting on, all of your email messages and file attachments are automatically encrypted and signed to the intended recipient. This setting has no effect on other encryptions you perform from the clipboard or with the Windows Explorer. Do not use this option if you plan to send email to recipients who use email applications that are not supported by the PGP/MIME standard. Using Eudora, attachments are always encrypted regardless of this setting, but if the recipient does not have PGP/MIME, they must use PGTools to decrypt messages.

Word-Wrap Clear-Signed Messages at Column []

This setting specifies the column number where a hard carriage return is used to wrap the text in your digital signature to the next line. This feature is necessary because not all applications handle word wrapping in the same way, which could cause the lines in your digitally signed messages to be broken up in a way that cannot be easily read. The default setting is 70, which prevents problems with most applications.

ALERT

If you change the word-wrap setting in PGP, make sure that it is less than the word-wrap settings in your email application. If you set it to be the same or a greater length, carriage returns may be added that will invalidate your PGP signature.

Encrypt New Messages by Default

Encrypts all your email messages. The lock icon remains indented to indicate that the encryption function is turned on.

Sign New Messages by Default

Signs all your email messages. The quill icon remains indented to indicate that the signatory function is turned on.

Automatically Decrypt when Opening Messages

Decrypts your email automatically when you open a message.

Key Server preferences

Click the Key Server tab to advance to the pane in which you specify settings for the key server you are using.

Server Specifies the Internet domain, for example, *company.com*, for the public key server that is used by PGP to send and retrieve public keys. This domain will be used when sending keys to a server to lookup the appropriate server based on the domain of the key.

Port The port address for the public key server. This must be entered in full URL format, such as <http://pgpkeys.mit.edu:11371>. The LDAP protocol is also supported.

Automatically Synchronize Keys Upon:

You use this dialog box to synchronize your private keyring with your key server using the following options:

Encrypting to Unknown User: Causes PGP to lookup unknown recipients on the server when you encrypt a message if its not on your keyring, so that it can find that user's key.

Adding Names to Key: Causes the keys being added to be updated from the server prior to the addition, and sent to the server upon completion. The update from the server prior to the operation makes sure that, for instance, the key has not been revoked since the last time it was updated.

Key Signing: Causes the keys being signed to be updated from the server prior to the signature, and sent to the server upon completion. The update from the server prior to the operation makes sure that, for instance, the key has not been revoked since the last time it was updated.

Revocation: Causes keys to being revoked to be updated prior to the revocation and sent to the server upon completion. The update from the server prior to the operation makes sure that, for instance, the key has not been revoked since the last time it was updated.

Use the following settings to choose the server with which you will automatically synchronize keys:

New: Choose a new key server. You enter the key server's domain and choose either an HTTP or an LDAP address.

Remove: Remove a key server that is listed as one of the key servers that you use.

Set default: Choose which key server is your default key server. Contact your security officer to find out if there is a default key server that you should choose.

Advanced preferences

Click the Advanced tab to make the following choices:

Encryption algorithm

You can select the encryption algorithm for your PGP keys: CAST (default), IDEA, or Triple-DES. If you want to use IDEA or Triple-DES, you must make this selection before you generate your keys.

CAST is a new algorithm that PGP believes is secure, and Triple-DES is a government algorithm that has withstood the test of time. IDEA is the algorithm traditionally used in PGP. For more information about these algorithms, see “The PGP Symmetric Algorithms” in Chapter 8.

There are two reasons why PGP gives you the option to change encryption algorithms:

- When using conventional encryption, the cipher selected here is used to encrypt.
- When creating a key, the preferred cipher is recorded as part of the key so that other people use that algorithm when encrypting to you.

ALERT

Use the check boxes only if you have decided that a particular algorithm is insecure. If you become aware that Triple-DES has been broken, you can simply deselect that box and your messages are encrypted using an unbroken algorithm. All new keys generated from that time will have a record that Triple-DES may not be used when encrypting to you.

Display Marginal Validity Level

Select this check box to display marginally valid keys or simply to show validity as on or off. Green circles indicate that a key is valid; gray indicates that the key has not been validated, signed by either by a trusted introducer or by you, or implicitly trusted because it is a key you generated yourself.

Treat Marginally Valid Keys as invalid

Select this check box to choose whether to treat all marginally valid keys as invalid. The key selection dialog box appears if you encrypt to marginally valid keys if this box is selected.

Warn when Encrypting to Keys with an ADK

Forces the display of the Recipient dialog box if the key you are encrypting to has an associated Additional Decryption Key.

About key searches

You can search for another user's key on local keyrings and remote key servers.

To search for a user's key

1. Open the PGPkeys windows.
2. Choose Search from the Keys menu.

The PGPkeys Search Window appears. In it are several drop-down menus, in which you can specify search criteria.

3. In the Search For Keys On drop-down menu, choose the location from which you want to search for keys.

You can choose the Default Server Search Path or use the drop-down menu to choose a different location.

4. Specify your search object.

The default is User ID, but you can click the drop-down menu to select Key ID, Key Type, Creation Date, Expiration Date, Key Status, and Key Size. For example, you might search for all keys with the User ID of Fred.

5. Specify the condition for which you are searching.

You can choose search criteria with the following conditions:

- Is
- Is Not
- Contains
- Does Not Contain
- Is Signed By
- Is Not Signed By
- Is On (for Creation or Expiration Dates)
- Is On or Before (for Creation or Expiration Dates)
- Is On or After (for Creation or Expiration Dates)

6. Type the search criteria.

This criteria must correspond to the search object that you specified.

The More Choices button allows you to search for a second criteria, for example, Key IDs with the name Fred created on or before October 6, 1997.

7. Click Search to begin the search.

A progress bar shows that the search is being conducted. Click Stop Search if the search has gone on too long or if you have found the keys you want. The results of the search appear in the window.

8. Click Clear Search to empty the search window and clear your search criteria.

Troubleshooting PGP

This chapter presents information about potential problems and their solutions.

Error	Possible Cause	Solution
Cannot perform the requested operation because the output buffer is too small	The output is larger than the internal buffers can handle. If you are encrypting or signing, you may have to break up the message and encrypt/sign smaller pieces at a time.	If you are decrypting or verifying, ask the sender to encrypt or sign smaller pieces of data and send them to you.
Cannot use the requested key for this operation because the key is not sufficiently trusted.	The operation cannot use a key that is not trusted.	Sign the key with your own key so that it can be trusted, then try again.
Could not encrypt to specified key because it is sign-only key..	The selected key can only be used for signing	Choose a different key, or generate a new key that can sign data.
Could not sign to specified key because it is a sign-only key.	The selected key can only be used for signing	Choose a different key, or generate a new key that can encrypt data.
No secret keys could be found on your keyring.	There are no secret keys on your keyring.	Generate your own pair of keys in PGPkeys.

Error	Possible Cause	Solution
The action could not be completed due to an invalid file operation.	The program failed to read or write data in a certain file. The file is probably corrupt.	Try altering your PGP Preferences to use a different file, if possible.
This key is already signed by the specified signing key.	You can't sign a key that you have already signed.	You may have accidentally picked the wrong key. If so, choose a different key to sign.
The keyring contains a bad (corrupted) PGP packet. The PGP message that you are working with has been corrupted, or your keyring has been corrupted.	Ask the sender to send the message again to determine if the message has been corrupted.	Try restoring your keyring from your backup keyring.
The keyring file is corrupt.	The program failed to read or write data in a certain file. There is a file that is probably corrupt or missing. It may or may not be the keyring file.	Try using a different file name or path, if possible.
The message or data contains a detached signature.	The signature for the message or file is located in a separate file.	Double-click the detached signature file first.
The passphrase you entered does not match the passphrase on the key.	The passphrase you entered is incorrect. You may have the Caps Lock on, or you simply may have mistyped the passphrase.	Try again.

Error	Possible Cause	Solution
The PGP library has run out of memory.	The operating system has run out of memory.	Close other running programs. If that doesn't work, you may need more memory in your machine.
The specified key could not be found on your keyring.	The key needed to decrypt the current message is not on your keyring.	Ask the sender of the message to send the message again and make sure that they encrypt the message to your public key.
The specified input file does not exist.	The file name typed in does not exist.	Use the Windows Explorer to find the exact name and path of the file you want.
The specified user ID was not added because it already exists on the selected key.	You can't add a User ID to a key if there an identical user ID already on the key.	Try adding a different user ID, or delete the matching one first.
There was an error opening or writing the keyring or the output file.	A file that was needed couldn't be opened.	Make sure the settings in your PGP Preferences are correct. If you've recently deleted files in the directory in which you installed PGP, you may need to reinstall the product.
There is not enough random data currently available.	The random number generator needs more input in order to generate good random numbers.	When prompted, move the mouse around, or press random keys, in order to generate input.
Unable to perform operation because this file is read-only or otherwise protected.	If you store your keyring files on removable media the media may not be inserted. A file that was needed is set to read-only or is being used by another program.	Close other programs that may be accessing the same files as the program you are running. If you keep your keyring files on a floppy, check and make sure that the floppy is in the floppy drive.

Security Features and Vulnerabilities

This chapter contains introductory and background information about cryptography written by Phil Zimmermann.

"Whatever you do will be insignificant, but it is very important that you do it."
—Mahatma Gandhi.

Why I wrote PGP

It's personal. It's private. And it's no one's business but yours. You may be planning a political campaign, discussing your taxes, or having a secret romance. Or you may be communicating with a political dissident in a repressive country. Whatever it is, you don't want your private electronic mail (email) or confidential documents read by anyone else. There's nothing wrong with asserting your privacy. Privacy is as apple-pie as the Constitution.

The right to privacy is spread implicitly throughout the Bill of Rights. But when the United States Constitution was framed, the Founding Fathers saw no need to explicitly spell out the right to a private conversation. That would have been silly. Two hundred years ago, all conversations were private. If someone else was within earshot, you could just go out behind the barn and have your conversation there. No one could listen in without your knowledge. The right to a private conversation was a natural right, not just in a philosophical sense, but in a law-of-physics sense, given the technology of the time.

But with the coming of the information age, starting with the invention of the telephone, all that has changed. Now most of our conversations are conducted electronically. This allows our most intimate conversations to be exposed without our knowledge. Cellular phone calls may be monitored by anyone with a radio. Electronic mail, sent across the Internet, is no more secure than cellular phone calls. Email is rapidly replacing postal mail, becoming the norm for everyone, not the novelty it was in the past. And email can be routinely and automatically scanned for interesting keywords, on a large scale, without detection. This is like driftnet fishing.

Perhaps you think your email is legitimate enough that encryption is unwarranted. If you really are a law-abiding citizen with nothing to hide, then why don't you always send your paper mail on postcards? Why not submit to drug testing on demand? Why require a warrant for police searches of your house? Are you trying to hide something? If you hide your mail inside envelopes, does that mean you must be a subversive or a drug dealer, or maybe a paranoid nut? Do law-abiding citizens have any need to encrypt their email?

What if everyone believed that law-abiding citizens should use postcards for their mail? If a nonconformist tried to assert his privacy by using an envelope for his mail, it would draw suspicion. Perhaps the authorities would open his mail to see what he's hiding. Fortunately, we don't live in that kind of world, because everyone protects most of their mail with envelopes. So no one draws suspicion by asserting their privacy with an envelope. There's safety in numbers. Analogously, it would be nice if everyone routinely used encryption for all their email, innocent or not, so that no one drew suspicion by asserting their email privacy with encryption. Think of it as a form of solidarity.

Until now, if the government wanted to violate the privacy of ordinary citizens, they had to expend a certain amount of expense and labor to intercept and steam open and read paper mail. Or they had to listen to and possibly transcribe spoken telephone conversation, at least before automatic voice recognition technology became available. This kind of labor-intensive monitoring was not practical on a large scale. It was only done in important cases when it seemed worthwhile.

Senate Bill 266, a 1991 omnibus anticrime bill, had an unsettling measure buried in it. If this non-binding resolution had become real law, it would have forced manufacturers of secure communications equipment to insert special “trap doors” in their products, so that the government could read anyone’s encrypted messages. It reads, “It is the sense of Congress that providers of electronic communications services and manufacturers of electronic communications service equipment shall ensure that communications systems permit the government to obtain the plain text contents of voice, data, and other communications when appropriately authorized by law.” It was this bill that led me to publish PGP electronically for free that year, shortly before the measure was defeated after vigorous protest by civil libertarians and industry groups.

The 1994 Digital Telephony bill mandated that phone companies install remote wiretapping ports into their central office digital switches, creating a new technology infrastructure for “point-and-click” wiretapping, so that federal agents no longer have to go out and attach alligator clips to phone lines. Now they’ll be able to sit in their headquarters in Washington and listen in on your phone calls. Of course, the law still requires a court order for a wiretap. But while technology infrastructures can persist for generations, laws and policies can change overnight. Once a communications infrastructure optimized for surveillance becomes entrenched, a shift in political conditions may lead to abuse of this new-found power. Political conditions may shift with the election of a new government, or perhaps more abruptly from the bombing of a federal building.

A year after the 1994 Digital Telephony bill passed, the FBI disclosed plans to require the phone companies to build into their infrastructure the capacity to simultaneously wiretap 1 percent of all phone calls in all major U.S. cities. This would represent more than a thousandfold increase over previous levels in the number of phones that could be wiretapped. In previous years, there were only about a thousand court-ordered wiretaps in the United States per year, at the federal, state, and local levels combined. It’s hard to see how the government could even employ enough judges to sign enough wiretap orders to wiretap 1 percent of all our phone calls, much less hire enough federal agents to sit and listen to all that traffic in real time. The only plausible way of processing that amount of traffic is a massive

Orwellian application of automated voice recognition technology to sift through it all, searching for interesting keywords or searching for a particular speaker's voice. If the government doesn't find the target in the first 1 percent sample, the wiretaps can be shifted over to a different 1 percent until the target is found, or until everyone's phone line has been checked for subversive traffic. The FBI says they need this capacity to plan for the future. This plan sparked such outrage that it was defeated in Congress, at least this time around, in 1995. But the mere fact that the FBI even asked for these broad powers is revealing of their agenda. And the defeat of this plan isn't so reassuring when you consider that the 1994 Digital Telephony bill was also defeated the first time it was introduced, in 1993.

Advances in technology will not permit the maintenance of the status quo, as far as privacy is concerned. The status quo is unstable. If we do nothing, new technologies will give the government new automatic surveillance capabilities that Stalin could never have dreamed of. The only way to hold the line on privacy in the information age is strong cryptography.

You don't have to distrust the government to want to use cryptography. Your business can be wiretapped by business rivals, organized crime, or foreign governments. The French government, for example, is notorious for using its signals intelligence apparatus against U.S. companies to help French corporations get a competitive edge. Ironically, the United States government's restrictions on cryptography have weakened U.S. corporate defenses against foreign intelligence and organized crime.

The government knows what a pivotal role cryptography is destined to play in the power relationship with its people. In April 1993, the Clinton administration unveiled a bold new encryption policy initiative, which had been under development at the National Security Agency (NSA) since the start of the Bush administration. The centerpiece of this initiative is a government-built encryption device, called the Clipper chip, containing a new classified NSA encryption algorithm. The government has been trying to encourage private industry to design it into all their secure communication products, such as secure phones, secure faxes, and so on. AT&T has put Clipper into its secure voice products. The catch: At the time of manufacture, each Clipper chip will be loaded with its own unique key, and the government gets to keep a copy, placed in escrow. Not to worry,

though—the government promises that they will use these keys to read your traffic only “when duly authorized by law.” Of course, to make Clipper completely effective, the next logical step would be to outlaw other forms of cryptography.

The government initially claimed that using Clipper would be voluntary, that no one would be forced to use it instead of other types of cryptography. But the public reaction against the Clipper chip has been strong, stronger than the government anticipated. The computer industry has monolithically proclaimed its opposition to using Clipper. FBI director Louis Freeh responded to a question in a press conference in 1994 by saying that if Clipper failed to gain public support, and FBI wiretaps were shut out by non-government-controlled cryptography, his office would have no choice but to seek legislative relief. Later, in the aftermath of the Oklahoma City tragedy, Mr. Freeh testified before the Senate Judiciary Committee that public availability of strong cryptography must be curtailed by the government (although no one had suggested that cryptography was used by the bombers).

The Electronic Privacy Information Center (EPIC) obtained some revealing documents under the Freedom of Information Act. In a briefing document titled “Encryption: The Threat, Applications and Potential Solutions,” and sent to the National Security Council in February 1993, the FBI, NSA, and Department of Justice (DOJ) concluded that “Technical solutions, such as they are, will only work if they are incorporated into all encryption products. To ensure that this occurs, legislation mandating the use of Government-approved encryption products or adherence to Government encryption criteria is required.”

The government has a track record that does not inspire confidence that they will never abuse our civil liberties. The FBI’s COINTELPRO program targeted groups that opposed government policies. They spied on the antiwar movement and the civil rights movement. They wiretapped the phone of Martin Luther King Jr. Nixon had his enemies list. And then there was the Watergate mess. Congress now seems intent on passing laws curtailing our civil liberties on the Internet. At no time in the past century has public distrust of the government been so broadly distributed across the political spectrum, as it is today.

If we want to resist this unsettling trend in the government to outlaw cryptography, one measure we can apply is to use cryptography as much as we can now while it's still legal. When use of strong cryptography becomes popular, it's harder for the government to criminalize it. Therefore, using PGP is good for preserving democracy.


If privacy is outlawed, only outlaws will have privacy. Intelligence agencies have access to good cryptographic technology. So do the big arms and drug traffickers. But ordinary people and grassroots political organizations mostly have not had access to affordable “military grade” public-key cryptographic technology. Until now.

PGP empowers people to take their privacy into their own hands. There's a growing social need for it. That's why I created it.

Encryption basics

First, some elementary terminology. Suppose you want to send a message to a colleague, whom we'll call Alice, and you don't want anyone but Alice to be able to read it. As shown in Figure 1, you can encrypt, or encipher, the message, which means scrambling it up in a hopelessly complicated way, rendering it unreadable to anyone except you and Alice. You supply a cryptographic key to encrypt the message, and Alice must use the same key to decipher or decrypt it. At least that's how it works in conventional “secret key” encryption.

A single key is used for both encryption and decryption. This means that this key must be initially transmitted via secure channels so that both parties can know it before encrypted messages are sent over insecure channels. This may be inconvenient. If you have a secure channel for exchanging keys, then why do you need cryptography in the first place?




How public key cryptography works

In public key cryptography, as shown in Figure 2, everyone has two related complementary keys, a public key and a private key. Each key unlocks the code that the other key makes. Knowing the public key does not help you deduce the corresponding private key. The public key can be published and widely disseminated across a communications network.


This protocol provides privacy without the need for the same kind of secure channels that conventional secret key encryption requires.

Anyone can use a recipient's public key to encrypt a message to that person, and that recipient uses her own corresponding private key to decrypt that message. No one but the recipient can decrypt it, because no one else has access to that private key. Not even the person who encrypted the message with the recipient's public key can decrypt it.



How your files and messages are encrypted

Because the public key encryption algorithm is much slower than conventional single-key encryption, encryption is better accomplished by using the process shown in Figure 3.



A high-quality fast conventional secret key encryption algorithm is used to encipher the message. This original unenciphered message is called “plaintext.” In a process invisible to the user, a temporary random key, created just for this one “session,” is used to conventionally encipher the plaintext file. Then the recipient’s public key is used to encipher this temporary random conventional key. This public-key-enciphered conventional “session” key is sent along with the enciphered text (called “ciphertext”) to the recipient.

The PGP symmetric algorithms

PGP offers a selection of different secret key algorithms to encrypt the actual message. By secret key algorithm, we mean a conventional, or symmetric, block cipher that uses the same key to both encrypt and decrypt. The three symmetric block ciphers offered by PGP are CAST, Triple-DES, and IDEA. They are not “home-grown” algorithms. They were all developed by teams of cryptographers with distinguished reputations.

For the cryptographically curious, all three ciphers operate on 64-bit blocks of plaintext and ciphertext. CAST and IDEA have key sizes of 128 bits, while Triple-DES uses a 168-bit key. Like Data Encryption Standard (DES), any of these ciphers can be used in cipher feedback (CFB) and cipher block chaining (CBC) modes. PGP uses them in 64-bit CFB mode.

I included the CAST encryption algorithm in PGP because it shows promise as a good block cipher with a 128-bit key size, it's very fast, and it's free. Its name is derived from the initials of its designers, Carlisle Adams and Stafford Tavares of Northern Telecom (Nortel). Nortel has applied for a patent for CAST, but they have made a commitment in writing to make CAST available to anyone on a royalty-free basis. CAST appears to be exceptionally well designed, by people with good reputations in the field. The design is based on a very formal approach, with a number of formally provable assertions that give good reasons to believe that it probably requires key exhaustion to break its 128-bit key. CAST has no weak or semiweak keys. There are strong arguments that CAST is completely immune to both linear and differential cryptanalysis, the two most powerful forms of cryptanalysis in the published literature, both of which have been effective in cracking DES. CAST is too new to have developed a long track record, but its formal design and the good reputations of its designers will undoubtedly attract the attentions and attempted cryptanalytic attacks of the rest of the academic cryptographic community. I'm getting nearly the same preliminary gut feeling of confidence from CAST that I got years ago from IDEA, the cipher I selected for use in earlier versions of PGP. At that time, IDEA was also too new to have a track record, but it has held up well.

The IDEA (International Data Encryption Algorithm) block cipher is based on the design concept of "mixing operations from different algebraic groups." It was developed at ETH in Zurich by James L. Massey and Xuejia Lai, and published in 1990. Early published papers on the algorithm called it IPES (Improved Proposed Encryption Standard), but they later changed the name to IDEA. So far, IDEA has resisted attack much better than other ciphers such as FEAL, REDOC-II, LOKI, Snefru and Khafre. And IDEA is more resistant than DES to Biham and Shamir's highly successful differential cryptanalysis attack, as well as attacks from linear cryptanalysis. As this cipher continues to attract attack efforts from the most formidable quarters of the cryptanalytic world, confidence in IDEA is growing with the

passage of time. Sadly, the biggest obstacle to IDEA's acceptance as a standard has been the fact that Ascom Systec holds a patent on its design, and unlike DES and CAST, IDEA has not been made available to everyone on a royalty-free basis.

As a hedge, PGP includes three-key Triple-DES in its repertoire of available block ciphers. The DES was developed by IBM in the mid-1970s. While it has a good design, its 56-bit key size is too small by today's standards. Triple-DES is very strong, and has been well studied for many years, so it might be a safer bet than the newer ciphers such as CAST and IDEA. Triple-DES is the DES applied three times to the same block of data, using three different keys, except that the second DES operation is run backwards, in decrypt mode. While Triple-DES is much slower than either CAST or IDEA, speed is usually not critical for email applications. Although Triple-DES uses a key size of 168 bits, it appears to have an effective key strength of at least 112 bits against an attacker with impossibly immense data storage capacity to use in the attack. According to a paper presented by Michael Weiner at Crypto96, any remotely plausible amount of data storage available to the attacker would enable an attack that would require about as much work as breaking a 129-bit key. Triple-DES is not encumbered by any patents.

PGP public keys that were generated by PGP Version 5.0 or later have information embedded in them that tells a sender what block ciphers are understood by the recipient's software, so that the sender's software knows which ciphers can be used to encrypt. DSS/Diffie-Hellman public keys accept CAST, IDEA, or Triple-DES as the block cipher, with CAST as the default selection. At present, for compatibility reasons, RSA keys do not provide this feature. Only the IDEA cipher is used by PGP to send messages to RSA keys, because older versions of PGP only supported RSA and IDEA.

Data compression

PGP normally compresses the plaintext before encrypting it, because it's too late to compress the plaintext after it has been encrypted; encrypted data is not compressible. Data compression saves modem transmission time and disk space and, more importantly, strengthens cryptographic security. Most cryptanalysis techniques exploit redundancies found in the plaintext to

crack the cipher. Data compression reduces this redundancy in the plaintext, thereby greatly enhancing resistance to cryptanalysis. It takes extra time to compress the plaintext, but from a security point of view it's worth it.

Files that are too short to compress, or that just don't compress well, are not compressed by PGP. In addition, the program recognizes files produced by most popular compression programs, such as PKZIP, and does not try to compress a file that has already been compressed.

For the technically curious, the program uses the freeware ZIP compression routines written by Jean-Loup Gailly, Mark Adler, and Richard B. Wales. This ZIP software uses compression algorithms that are functionally equivalent to those used by PKWare's PKZIP 2.x. This ZIP compression software was selected for PGP mainly because it has a really good compression ratio and because it's fast.

About the random numbers used as session keys


PGP uses a cryptographically strong pseudo-random-number generator for creating temporary session keys. If this random seed file does not exist, it is automatically created and seeded with truly random numbers derived from your random events gathered by the PGP program from the timing of your keystroke and mouse movements.

This generator reseeds the seed file each time it is used, by mixing in new material partially derived from the time of day and other truly random sources. It uses the conventional encryption algorithm as an engine for the random number generator. The seed file contains both random seed material and random key material used to key the conventional encryption engine for the random generator.

This random seed file should be protected from disclosure, to reduce the risk of an attacker deriving your next or previous session keys. The attacker would have a very hard time getting anything useful from capturing this random seed file, because the file is cryptographically laundered before and after each use. Nonetheless, it seems prudent to try to keep it from falling into the wrong hands. If possible, make the file readable only by you. If this is not possible, don't let other people indiscriminately copy disks from your computer.

How decryption works

As shown in Figure 4, the decryption process is just the reverse of encryption. The recipient's private key is used to recover the temporary session key, and then that session key is used to run the fast conventional secret key algorithm to decipher the large ciphertext message.




How digital signatures work


PGP uses digital signatures to provide message authentication. The sender's own private key can be used to encrypt a message digest, thereby "signing" the message. A *message digest* is a 160-bit or a 128-bit cryptographically strong one-way hash function. It is somewhat analogous to a "checksum" or CRC error checking code, in that it compactly represents the message and is used to detect changes in the message. Unlike a CRC, however, it is believed to be computationally infeasible for an attacker to devise a substitute

message that would produce an identical message digest. The message digest gets encrypted by the sender's private key, creating a digital signature of the message.

Figure 5 shows how a digital signature is generated.



The recipient (or anyone else) can verify the digital signature by using the sender's public key to decrypt it, as shown in Figure 6. This proves that the sender was the true originator of the message, and that the message has not been subsequently altered by anyone else, because the sender alone possesses the private key that made that signature. Forgery of a signed message is not feasible, and the sender cannot later disavow his signature.



About the message digest

The message digest is a compact (160-bit or 128-bit) “distillate” of your message or file checksum. You can also think of it as a “fingerprint” of the message or file. The message digest “represents” your message, in such a way that if the message were altered in any way, a different message digest would be computed from it. This makes it possible to detect any changes made to the message by a forger. A message digest is computed using a cryptographically strong one-way hash function of the message. It should be computationally infeasible for an attacker to devise a substitute message that would produce an identical message digest. In that respect a message digest is much better than a checksum, because it is easy to devise a different message that would produce the same checksum. But like a checksum, you can’t derive the original message from its message digest.

The message digest algorithm now used in PGP (Version 5.0 and later) is called SHA, which stands for Secure Hash Algorithm, designed by the NSA for the National Institute of Standards and Technology (NIST). SHA is a 160-bit hash algorithm. Some people might regard anything from the NSA with suspicion, because the NSA is in charge of intercepting communications and breaking codes. But keep in mind that the NSA has no interest in forging signatures, and the government would benefit from a good unforgeable digital signature standard that would preclude anyone from repudiating their signatures. That has distinct benefits for law enforcement and intelligence gathering. Also, SHA has been published in the open literature and has been extensively peer reviewed by most of the best cryptographers in the world who specialize in hash functions, and the unanimous opinion is that SHA is extremely well designed. It has some design innovations that overcome all the observed weaknesses in message digest algorithms previously published by academic cryptographers. All new versions of PGP use SHA as the message digest algorithm for creating signatures with the new DSS keys that comply with the NIST Digital Signature Standard. For compatibility reasons, new versions of PGP still use MD5 for RSA signatures, because older versions of PGP used MD5 for RSA signatures.

The message digest algorithm used by older versions of PGP is the MD5 Message Digest Algorithm, placed in the public domain by RSA Data Security, Inc. MD5 is a 128-bit hash algorithm. In 1996, MD5 was all but broken by a German cryptographer, Hans Dobbertin. Although MD5 was not completely broken at that time, it was discovered to have such serious weaknesses that no one should keep using it to generate signatures. Further work in this area might completely break it, allowing signatures to be forged. If you don't want to someday find your PGP digital signature on a forged confession, you might be well advised to migrate to the new PGP DSS keys as your preferred method for making digital signatures, because DSS uses SHA as its secure hash algorithm.

How to protect public keys from tampering

In a public key cryptosystem, you don't have to protect public keys from exposure. In fact, it's better if they are widely disseminated. But it's important to protect public keys from tampering, to make sure that a public

key really belongs to the person to whom it appears to belong. This may be the most important vulnerability of a public key cryptosystem. See “Protecting your keys” in Chapter 3 for procedures. Let’s first look at a potential disaster, then describe how to safely avoid it with PGP.

Suppose you want to send a private message to Alice. You download Alice’s public key certificate from an electronic bulletin board system (BBS). You encrypt your letter to Alice with this public key and send it to her through the BBS’s email facility.

Unfortunately, unbeknownst to you or Alice, another user named Charlie has infiltrated the BBS and generated a public key of his own with Alice’s user ID attached to it. He covertly substitutes his bogus key in place of Alice’s real public key. You unwittingly use this bogus key belonging to Charlie instead of Alice’s public key. All looks normal because this bogus key has Alice’s user ID. Now Charlie can decipher the message intended for Alice because he has the matching private key. He may even reencrypt the deciphered message with Alice’s real public key and send it on to her so that no one suspects any wrongdoing. Furthermore, he can even make apparently good signatures from Alice with this private key because everyone will use the bogus public key to check Alice’s signatures.

The only way to prevent this disaster is to prevent anyone from tampering with public keys. If you got Alice’s public key directly from Alice, this is no problem. But that may be difficult if Alice is a thousand miles away or is currently unreachable.

Perhaps you could get Alice’s public key from a mutually trusted friend, David, who knows he has a good copy of Alice’s public key. David could sign Alice’s public key, vouching for the integrity of Alice’s public key. David would create this signature with his own private key.

This would create a signed public key certificate, and would show that Alice’s key had not been tampered with. This requires that you have a known good copy of David’s public key to check his signature. Perhaps David could provide Alice with a signed copy of your public key also. David is thus serving as an “Introducer” between you and Alice.

This signed public key certificate for Alice could be uploaded by David or Alice to the BBS, and you could download it later. You could then check the signature via David's public key and thus be assured that this is really Alice's public key. No impostor can fool you into accepting his own bogus key as Alice's because no one else can forge signatures made by David.

A widely trusted person could even specialize in providing this service of "introducing" users to each other by providing signatures for their public key certificates. This trusted person could be regarded as a "Certifying Authority." Any public key certificates bearing the Certifying Authority's signature could be trusted as truly belonging to the person to whom they appear to belong to. All users who wanted to participate would need a known good copy of just the Certifying Authority's public key, so that the Certifying Authority's signatures could be verified. In some cases, the Certifying Authority may also act as a key server, allowing users on a network to look up public keys by asking the key server, but there is no reason why a key server must also certify keys.

A trusted centralized Certifying Authority is especially appropriate for large impersonal centrally controlled corporate or government institutions. Some institutional environments use hierarchies of Certifying Authorities.

For more decentralized environments, allowing all users to act as trusted introducers for their friends would probably work better than a centralized key certification authority.

One of the attractive features of PGP is that it can operate equally well in a centralized environment with a Certifying Authority or in a more decentralized environment where individuals exchange personal keys.

This whole business of protecting public keys from tampering is the single most difficult problem in practical public key applications. It is the "Achilles heel" of public key cryptography, and a lot of software complexity is tied up in solving this one problem.

You should use a public key only after you are sure that it is a good public key that has not been tampered with, and that it actually belongs to the person with whom it purports to be associated. You can be sure of this if you got this public key certificate directly from its owner, or if it bears the

signature of someone else that you trust, from whom you already have a good public key. Also, the user ID should have the full name of the key's owner, not just her first name.

No matter how tempted you are, you should *never* give in to expediency and trust a public key you downloaded from a bulletin board, unless it is signed by someone you trust. That uncertified public key could have been tampered with by anyone, maybe even by the system administrator of the bulletin board.

If you are asked to sign someone else's public key certificate, make certain that it really belongs to the person named in the user ID of that public key certificate. This is because your signature on her public key certificate is a promise by you that this public key really belongs to her. Other people who trust you will accept her public key because it bears your signature. It can be ill-advised to rely on hearsay—don't sign her public key unless you have independent first-hand knowledge that it really belongs to her. Preferably you should sign it only if you got it directly from her.

In order to sign a public key, you must be far more certain of that key's ownership than if you merely want to use that key to encrypt a message. To be convinced of a key's validity enough to use it, certifying signatures from trusted introducers should suffice. But to sign a key yourself, you should require your own independent first-hand knowledge of who owns that key. Perhaps you could call the key's owner on the phone and read the key fingerprint to her, to confirm that the key you have is really her key—and make sure you really are talking to the right person.

Bear in mind that your signature on a public key certificate does not vouch for the integrity of that person, but only vouches for the integrity (the ownership) of that person's public key. You aren't risking your credibility by signing the public key of a sociopath, if you are completely confident that the key really belongs to him. Other people would accept that key as belonging to him because you signed it (assuming they trust you), but they wouldn't trust that key's owner. Trusting a key is not the same as trusting the key's owner.

It would be a good idea to keep your own public key on hand with a collection of certifying signatures attached from a variety of "introducers," in the hope that most people will trust at least one of the introducers who

vouch for the validity of your public key. You could post your key with its attached collection of certifying signatures on various electronic bulletin boards. If you sign someone else's public key, return it to them with your signature so that they can add it to their own collection of credentials for their own public key.

Make sure that no one else can tamper with your own public keyring. Checking a newly signed public key certificate must ultimately depend on the integrity of the trusted public keys that are already on your own public keyring. Maintain physical control of your public keyring, preferably on your own personal computer rather than on a remote time-sharing system, just as you would do for your private key. This is to protect it from tampering, not from disclosure. Keep a trusted backup copy of your public keyring and your private key on write-protected media.

Since your own trusted public key is used as a final authority to directly or indirectly certify all the other keys on your keyring, it is the most important key to protect from tampering. You may want to keep a backup copy on a write-protected floppy disk.

PGP generally assumes that you will maintain physical security over your system and your keyrings, as well as your copy of PGP itself. If an intruder can tamper with your disk, then in theory he can tamper with the program itself, rendering moot the safeguards the program may have to detect tampering with keys.

One somewhat complicated way to protect your own whole public keyring from tampering is to sign the whole ring with your own private key. You could do this by making a detached signature certificate of the public keyring.

How does PGP keep track of which keys are valid?

Before you read this section, you should read the previous section, "How to protect public keys from tampering."

PGP keeps track of which keys on your public keyring are properly certified with signatures from introducers that you trust. All you have to do is tell PGP which people you trust as introducers, and certify their keys yourself with your own ultimately trusted key. PGP can take it from there,

automatically validating any other keys that have been signed by your designated introducers. And of course you can directly sign more keys yourself.

There are two entirely separate criteria that PGP uses to judge a public key's usefulness—don't get them confused:

1. Does the key actually belong to the person to whom it appears to belong?
In other words, has it been certified with a trusted signature?
2. Does it belong to someone you can trust to certify other keys?

PGP can calculate the answer to the first question. To answer the second question, you must tell PGP explicitly. When you supply the answer to question 2, PGP can then calculate the answer to question 1 for other keys signed by the introducer you designated as trusted.

Keys that have been certified by a trusted introducer are deemed valid by PGP. The keys belonging to trusted introducers must themselves be certified either by you or by other trusted introducers.

PGP also allows for the possibility of your having several shades of trust for people to act as introducers. Your trust for a key's owner to act as an introducer does not just reflect your estimation of their personal integrity—it should also reflect how competent you think they are at understanding key management and using good judgment in signing keys. You can designate a person as untrusted, marginally trusted, or completely trusted to certify other public keys. This trust information is stored on your keyring with their key, but when you tell PGP to copy a key off your keyring, PGP does not copy the trust information along with the key, because your private opinions on trust are regarded as confidential.

When PGP is calculating the validity of a public key, it examines the trust level of all the attached certifying signatures. It computes a weighted score of validity—for example, two marginally trusted signatures are deemed to be as credible as one fully trusted signature. The program's skepticism is adjustable—for example, you can tune PGP to require two fully trusted signatures or three marginally trusted signatures to judge a key as valid.

Your own key is “axiomatically” valid to PGP, needing no introducer’s signature to prove its validity. PGP knows which public keys are yours by looking for the corresponding private keys on the private key. PGP also assumes that you completely trust yourself to certify other keys.

As time goes on, you will accumulate keys from other people whom you may want to designate as trusted introducers. Everyone else will choose their own trusted introducers. And everyone will gradually accumulate and distribute with their key a collection of certifying signatures from other people, with the expectation that anyone receiving it will trust at least one or two of the signatures. This will cause the emergence of a decentralized fault-tolerant web of confidence for all public keys.

This unique grass-roots approach contrasts sharply with standard public key management schemes developed by government and other monolithic institutions, such as Internet Privacy Enhanced Mail (PEM), which are based on centralized control and mandatory centralized trust. The standard schemes rely on a hierarchy of Certifying Authorities who dictate who you must trust. The program’s decentralized probabilistic method for determining public key legitimacy is the centerpiece of its key management architecture. PGP lets you alone choose who you trust, putting you at the top of your own private certification pyramid. PGP is for people who prefer to pack their own parachutes.

Note that while this decentralized, grass-roots approach is emphasized here, it does not mean that PGP does not perform equally well in the more hierarchical, centralized public key management schemes. Large corporate users, for example, will probably want a central figure or person who signs all the employees’ keys. PGP handles that centralized scenario as a special degenerate case of PGP’s more generalized trust model.

How to protect private keys from disclosure

Protect your own private key and your passphrase very carefully. If your private key is ever compromised, you’d better get the word out quickly to all interested parties before someone else uses it to make signatures in your name. For example, someone could use it to sign bogus public key

certificates, which could create problems for many people, especially if your signature is widely trusted. And of course, a compromise of your own private key could expose all messages sent to you.

To protect your private key, you can start by always keeping physical control of it. Keeping it on your personal computer at home is OK, or keep it in your notebook computer that you can carry with you. If you must use an office computer that you don't always have physical control of, then keep your public and private keyrings on a write-protected removable floppy disk, and don't leave it behind when you leave the office. It wouldn't be a good idea to allow your private key to reside on a remote timesharing computer, such as a remote dial-in UNIX system. Someone could eavesdrop on your modem line and capture your passphrase and then obtain your actual private key from the remote system. You should only use your private key on a machine that is under your physical control. See Chapter 8 for additional information.

Don't store your passphrase anywhere on the computer that has your private key file. Storing both the private key and the passphrase on the same computer is as dangerous as keeping your PIN in the same wallet as your Automatic Teller Machine bank card. You don't want somebody to get their hands on your disk containing both the passphrase and the private key file. It would be most secure if you just memorize your passphrase and don't store it anywhere but your brain. If you feel you must write down your passphrase, keep it well protected, perhaps even better protected than the private key file.

And keep backup copies of your private key—remember, you have the only copy of your private key, and losing it will render useless all the copies of your public key that you have spread throughout the world.

The decentralized noninstitutional approach that PGP supports for management of public keys has its benefits, but unfortunately it also means that you can't rely on a single centralized list of which keys have been compromised. This makes it a bit harder to contain the damage of a private key compromise. You just have to spread the word and hope that everyone hears about it.

If the worst case happens—your private key and passphrase are both compromised (hopefully you will find this out somehow)—you will have to issue a “key compromise” certificate. This kind of certificate is used to warn other people to stop using your public key. You can use PGP to create such a certificate by using the Revoke command from the PGPkeys menu. Then you must somehow send this compromise certificate to everyone else on the planet, or at least to all your friends and their friends, et cetera. Their own PGP software installs this key compromise certificate on their public keyrings and automatically prevents them from accidentally using your public key ever again. You can then generate a new private/public key pair and publish the new public key. You could send out one package containing both your new public key and the key compromise certificate for your old key.

What if you lose your private key?

Normally, if you want to revoke your own private key, you can use the Revoke command from the PGPkeys menu to issue a revocation certificate, signed with your own private key.

But what can you do if you lose your private key, or if your private key is destroyed? You can’t revoke it yourself, because you must use your own private key to revoke it, and you don’t have it anymore. You ask each person who signed your key to retire his or her certification. Then anyone attempting to use your key based on the trust of one of your introducers will know not to trust your public key.

Beware of snake oil

When examining a cryptographic software package, the question always remains, why should you trust this product? Even if you examined the source code yourself, not everyone has the cryptographic experience to judge the security. Even if you are an experienced cryptographer, subtle weaknesses in the algorithms could still elude you.

When I was in college in the early seventies, I devised what I believed was a brilliant encryption scheme. A simple pseudorandom number stream was added to the plaintext stream to create ciphertext. This would seemingly

thwart any frequency analysis of the ciphertext, and would be uncrackable even to the most resourceful government intelligence agencies. I felt so smug about my achievement.

Years later, I discovered this same scheme in several introductory cryptography texts and tutorial papers. How nice. Other cryptographers had thought of the same scheme. Unfortunately, the scheme was presented as a simple homework assignment on how to use elementary cryptanalytic techniques to trivially crack it. So much for my brilliant scheme.

From this humbling experience I learned how easy it is to fall into a false sense of security when devising an encryption algorithm. Most people don't realize how fiendishly difficult it is to devise an encryption algorithm that can withstand a prolonged and determined attack by a resourceful opponent. Many mainstream software engineers have developed equally naive encryption schemes (often even the very same encryption scheme), and some of them have been incorporated into commercial encryption software packages and sold for good money to thousands of unsuspecting users.

This is like selling automotive seat belts that look good and feel good, but snap open in the slowest crash test. Depending on them may be worse than not wearing seat belts at all. No one suspects they are bad until a real crash. Depending on weak cryptographic software may cause you to unknowingly place sensitive information at risk when you might not otherwise have done so if you had no cryptographic software at all. Perhaps you may never even discover that your data has been compromised.

Sometimes commercial packages use the Federal Data Encryption Standard (DES), a fairly good conventional algorithm recommended by the government for commercial use (but not for classified information, oddly enough—Hmmm). There are several “modes of operation” that DES can use, some of them better than others. The government specifically recommends not using the weakest simplest mode for messages, the Electronic Codebook (ECB) mode. But they do recommend the stronger and more complex Cipher Feedback (CFB) and Cipher Block Chaining (CBC) modes.

Unfortunately, most of the commercial encryption packages I've looked at use ECB mode. When I've talked to the authors of a number of these implementations, they say they've never heard of CBC or CFB modes, and don't know anything about the weaknesses of ECB mode. The very fact that they haven't even learned enough cryptography to know these elementary concepts is not reassuring. And they sometimes manage their DES keys in inappropriate or insecure ways. Also, these same software packages often include a second faster encryption algorithm that can be used instead of the slower DES. The author of the package often thinks his proprietary faster algorithm is as secure as DES, but after questioning him I usually discover that it's just a variation of my own brilliant scheme from college days. Or maybe he won't even reveal how his proprietary encryption scheme works, but assures me it's a brilliant scheme and I should trust it. I'm sure he believes that his algorithm is brilliant, but how can I know that without seeing it?

In fairness I must point out that in most cases these terribly weak products do not come from companies that specialize in cryptographic technology.

Even the really good software packages, that use DES in the correct modes of operation, still have problems. Standard DES uses a 56-bit key, which is too small by today's standards, and can now be easily broken by exhaustive key searches on special high-speed machines. The DES has reached the end of its useful life, and so has any software package that relies on it.

There is a company called AccessData (87 East 600 South, Orem, Utah 84058, phone 1-800-658-5199) that sells a package for \$185 that cracks the built-in encryption schemes used by WordPerfect, Lotus 1-2-3, MS Excel, Symphony, Quattro Pro, Paradox, MS Word, and PKZIP. It doesn't simply guess passwords—it does real cryptanalysis. Some people buy it when they forget their password for their own files. Law enforcement agencies buy it too, so they can read files they seize. I talked to Eric Thompson, the author, and he said his program only takes a split second to crack them, but he put in some delay loops to slow it down so it doesn't look so easy to the customer.

In the secure telephone arena, your choices look bleak. The leading contender is the STU-III (Secure Telephone Unit), made by Motorola and AT&T for \$2,000 to \$3,000, and used by the government for classified applications. It has strong cryptography, but requires some sort of special

license from the government to buy this strong version. A commercial version of the STU-III is available that is watered down for NSA's convenience, and an export version is available that is even more severely weakened. Then there is the \$1,200 AT&T Surety 3600, which uses the government's famous Clipper chip for encryption, with keys escrowed with the government for the convenience of wiretappers. Then, of course, there are the analog (nondigital) voice scramblers that you can buy from the spy-wannabe catalogs, that are really useless toys as far as cryptography is concerned, but are sold as "secure" communications products to customers who just don't know any better.

In some ways, cryptography is like pharmaceuticals. Its integrity may be absolutely crucial. Bad penicillin looks the same as good penicillin. You can tell if your spreadsheet software is wrong, but how do you tell if your cryptography package is weak? The ciphertext produced by a weak encryption algorithm looks as good as ciphertext produced by a strong encryption algorithm. There's a lot of snake oil out there. A lot of quack cures. Unlike the patent medicine hucksters of old, these software implementors usually don't even know their stuff is snake oil. They may be good software engineers, but they usually haven't even read any of the academic literature in cryptography. But they think they can write good cryptographic software. And why not? After all, it seems intuitively easy to do so. And their software seems to work OK.

Anyone who thinks they have devised an unbreakable encryption scheme either is an incredibly rare genius or is naive and inexperienced. Unfortunately, I sometimes have to deal with would-be cryptographers who want to make "improvements" to PGP by adding encryption algorithms of their own design.

I remember a conversation with Brian Snow, a highly placed senior cryptographer with the NSA. He said he would never trust an encryption algorithm designed by someone who had not "earned their bones" by first spending a lot of time cracking codes. That made a lot of sense. I observed that practically no one in the commercial world of cryptography qualifies under this criterion. "Yes," he said with a self-assured smile, "And that makes our job at NSA so much easier." A chilling thought. I didn't qualify either.

The government has peddled snake oil too. After World War II, the United States sold German Enigma ciphering machines to third-world governments. But they didn't tell them that the Allies cracked the Enigma code during the war, a fact that remained classified for many years. Even today many UNIX systems worldwide use the Enigma cipher for file encryption, in part because the government has created legal obstacles against using better algorithms. They even tried to prevent the initial publication of the RSA algorithm in 1977. And they have for many years squashed essentially all commercial efforts to develop effective secure telephones for the general public.

The principal job of the United States government's National Security Agency is to gather intelligence, principally by covertly tapping into people's private communications (see James Bamford's book, *The Puzzle Palace*). The NSA has amassed considerable skill and resources for cracking codes. When people can't get good cryptography to protect themselves, it makes NSA's job much easier. NSA also has the responsibility of approving and recommending encryption algorithms. Some critics charge that this is a conflict of interest, like putting the fox in charge of guarding the hen house. In the 1980s, NSA had been pushing a conventional encryption algorithm that they designed (the COMSEC Endorsement Program), and they won't tell anybody how it works because that's classified. They wanted others to trust it and use it. But any cryptographer can tell you that a well-designed encryption algorithm does not have to be classified to remain secure. Only the keys should need protection. How does anyone else really know if NSA's classified algorithm is secure? It's not that hard for NSA to design an encryption algorithm that only they can crack, if no one else can review the algorithm. And now with the Clipper chip, the NSA is pushing SKIPJACK, another classified cipher they designed. Are they deliberately selling snake oil?

There are three main factors that have undermined the quality of commercial cryptographic software in the United States.

- The first is the virtually universal lack of competence of implementors of commercial encryption software (although this is starting to change since the publication of PGP). Every software engineer fancies himself a cryptographer, which has led to the proliferation of really bad crypto software.

- The second is the NSA deliberately and systematically suppressing all the good commercial encryption technology, by legal intimidation and economic pressure. Part of this pressure is brought to bear by stringent export controls on encryption software which, by the economics of software marketing, has the net effect of suppressing domestic encryption software.
- The third principle method of suppression comes from the granting of all the software patents for all the public key encryption algorithms to a single company, affording a single choke point to suppress the spread of this technology (although this crypto patent cartel broke up in the fall of 1995).

The net effect of all this is that before PGP was published, there was almost no highly secure general purpose encryption software available in the United States.

I'm not as certain about the security of PGP as I once was about my brilliant encryption software from college. If I were, that would be a bad sign. But I don't think PGP contains any glaring weaknesses (although I'm pretty sure it contains bugs). I have selected the best algorithms from the published literature of civilian cryptologic academia. For the most part, these algorithms have been individually subject to extensive peer review. I know many of the world's leading cryptographers, and have discussed with some of them many of the cryptographic algorithms and protocols used in PGP. It's well researched, and has been years in the making. And I don't work for the NSA. But you don't have to trust my word on the cryptographic integrity of PGP, because source code is available to facilitate peer review.

One more point about my commitment to cryptographic quality in PGP: Since I first developed and released PGP for free in 1991, I spent three years under criminal investigation by United States Customs for PGP's spread overseas, with risk of criminal prosecution and years of imprisonment. By the way, you didn't see the government getting upset about other cryptographic software—it's PGP that really set them off. What does that tell you about the strength of PGP? I have earned my reputation on the cryptographic integrity of my products. I will not betray my commitment to our right to privacy, for which I have risked my freedom. I'm not about to allow a product with my name on it to have any secret back doors.

Vulnerabilities

No data security system is impenetrable. PGP can be circumvented in a variety of ways. In any data security system, you have to ask yourself if the information you are trying to protect is more valuable to your attacker than the cost of the attack. This should lead you to protect yourself from the cheapest attacks, while not worrying about the more expensive attacks.

Some of the discussion that follows may seem unduly paranoid, but such an attitude is appropriate for a reasonable discussion of vulnerability issues.

“If all the personal computers in the world—260 million—were put to work on a single PGP-encrypted message, it would still take an estimated 12 million times the age of the universe, on average, to break a single message.” William Crowell, Deputy Director, National Security Agency, March 20, 1997.

Compromised passphrase and private key

Probably the simplest attack comes if you leave the passphrase for your private key written down somewhere. If someone gets it and also gets your private key file, they can read your messages and make signatures in your name.

Here are some recommendations for protecting your passphrase:

1. Don't use obvious passphrases that can be easily guessed, such as the names of your kids or spouse.
2. Use spaces and a combination of numbers and letters in your passphrase. If you make your passphrase a single word, it can be easily guessed by having a computer try all the words in the dictionary until it finds your password. That's why a passphrase is so much better than a password. A more sophisticated attacker may have his computer scan a book of famous quotations to find your passphrase.
3. Be creative. Use an easy to remember but hard to guess passphrase; you can easily construct one by using some creatively nonsensical sayings or obscure literary quotes.

Public key tampering

A major vulnerability exists if public keys are tampered with. This may be the most crucially important vulnerability of a public key cryptosystem, in part because most novices don't immediately recognize it. The importance of this vulnerability, and appropriate hygienic countermeasures, are detailed in "How to protect public keys from tampering," earlier in this chapter.

To summarize: When you use someone's public key, make certain it has not been tampered with. A new public key from someone else should be trusted only if you got it directly from its owner, or if it has been signed by someone you trust. Make sure no one else can tamper with your own public keyring. Maintain physical control of both your public keyring and your private key, preferably on your own personal computer rather than on a remote timesharing system. Keep a backup copy of both keyrings.

Not Quite Deleted Files

Another potential security problem is caused by how most operating systems delete files. When you encrypt a file and then delete the original plaintext file, the operating system doesn't actually physically erase the data. It merely marks those disk blocks as deleted, allowing the space to be reused later. It's sort of like discarding sensitive paper documents in the paper recycling bin instead of the paper shredder. The disk blocks still contain the original sensitive data you wanted to erase, and will probably be overwritten by new data at some point in the future. If an attacker reads these deleted disk blocks soon after they have been deallocated, he could recover your plaintext.

In fact, this could even happen accidentally, if something went wrong with the disk and some files were accidentally deleted or corrupted. A disk recovery program may be run to recover the damaged files, but this often means that some previously deleted files are resurrected along with everything else. Your confidential files that you thought were gone forever could then reappear and be inspected by whoever is attempting to recover your damaged disk. Even while you are creating the original message with a word processor or text editor, the editor may be creating multiple temporary

copies of your text on the disk, just because of its internal workings. These temporary copies of your text are deleted by the word processor when it's done, but these sensitive fragments are still on your disk somewhere.

The only way to prevent the plaintext from reappearing is to somehow cause the deleted plaintext files to be overwritten. Unless you know for sure that all the deleted disk blocks will soon be reused, you must take positive steps to overwrite the plaintext file, and also any fragments of it on the disk left by your word processor. You can take care of any fragments of the plaintext left on the disk by using PGP's Secure Wipe feature.

Viruses and Trojan horses

Another attack could involve a specially tailored hostile computer virus or worm that might infect PGP or your operating system. This hypothetical virus could be designed to capture your passphrase or private key or deciphered messages and to covertly write the captured information to a file or send it through a network to the virus's owner. Or it might alter PGP's behavior so that signatures are not properly checked. This attack is cheaper than cryptanalytic attacks.

Defending against this kind of attack falls into the category of defending against viral infection generally. There are some moderately capable antiviral products commercially available, and there are hygienic procedures to follow that can greatly reduce the chances of viral infection. A complete treatment of antiviral and antiworm countermeasures is beyond the scope of this document. PGP has no defenses against viruses, and assumes that your own personal computer is a trustworthy execution environment. If such a virus or worm actually appeared, hopefully word would soon get around warning everyone.

A similar attack involves someone creating a clever imitation of PGP that behaves like PGP in most respects, but that doesn't work the way it's supposed to. For example, it might be deliberately crippled to not check signatures properly, allowing bogus key certificates to be accepted. You should make an effort to get your copy of PGP directly from Pretty Good Privacy.

There are other ways to check PGP for tampering, using digital signatures. You could use another trusted version of PGP to check the signature on a suspect version of PGP. But this won't help at all if your operating system is infected, nor will it detect if your original copy of `pgp.exe` has been maliciously altered in such a way as to compromise its own ability to check signatures. This test also assumes that you have a good trusted copy of the public key that you use to check the signature on the PGP executable.

Swap files or virtual memory

PGP was originally developed for MS-DOS, a primitive operating system by today's standards. But as it was ported to other more complex operating systems, such as Microsoft Windows and the Macintosh OS, a new vulnerability emerged. This vulnerability stems from the fact that these fancier operating systems use a technique called *virtual memory*.

Virtual memory allows you to run huge programs on your computer that are bigger than the space available in your computer's semiconductor memory chips. This is handy because software has become more and more bloated since graphical user interfaces became the norm and users started running several large applications at the same time. The operating system uses the hard disk to store portions of your software that aren't being used at the moment. This means that the operating system might, without your knowledge, write out to disk some things that you thought were kept only in main memory—things like keys, passphrases, and decrypted plaintext. PGP does not keep that kind of sensitive data lying around in memory for longer than necessary, but there is some chance that the operating system could write it out to disk anyway.

The data is written out to some scratchpad area of the disk, known as a *swap file*. Data is read back in from the swap file as needed, so that only part of your program or data is in physical memory at any one time. All this activity is invisible to the user, who just sees the disk chattering away. Microsoft Windows swaps chunks of memory, called *pages*, using a Least Recently Used (LRU) page-replacement algorithm. This means pages that have not been accessed for the longest period of time are the first ones to be swapped to the disk. This approach suggests that in most cases the risk is fairly low that sensitive data will be swapped out to disk, because PGP doesn't leave it in memory for very long. But we don't make any guarantees.

This swap file can be accessed by anyone who can get physical access to your computer. If you are concerned about this problem, you may be able to solve it by obtaining special software that overwrites your swap file. Another possible cure is to turn off your operating system's virtual memory feature. Microsoft Windows allows this, and so does the Mac OS. Turning off virtual memory may mean that you need to have more physical RAM chips installed in order to fit everything in RAM.

Physical security breach

A physical security breach may allow someone to physically acquire your plaintext files or printed messages. A determined opponent might accomplish this through burglary, trash-picking, unreasonable search and seizure, or bribery, blackmail, or infiltration of your staff. Some of these attacks may be especially feasible against grass-roots political organizations that depend on a largely volunteer staff.

Don't be lulled into a false sense of security just because you have a cryptographic tool. Cryptographic techniques protect data only while it's encrypted—direct physical security violations can still compromise plaintext data or written or spoken information.

This kind of attack is cheaper than cryptanalytic attacks on PGP.

Tempest attacks

Another kind of attack that has been used by well-equipped opponents involves the remote detection of the electromagnetic signals from your computer. This expensive and somewhat labor-intensive attack is probably still cheaper than direct cryptanalytic attacks. An appropriately instrumented van can park near your office and remotely pick up all of your keystrokes and messages displayed on your computer video screen. This would compromise all of your passwords, messages, and so on. This attack can be thwarted by properly shielding all of your computer equipment and network cabling so that it does not emit these signals. This shielding technology, known as "Tempest," is used by some government agencies and defense contractors. There are hardware vendors who supply Tempest shielding commercially.

Protecting against bogus timestamps

A somewhat obscure vulnerability of PGP involves dishonest users creating bogus timestamps on their own public key certificates and signatures. You can skip over this section if you are a casual user and aren't deeply into obscure public-key protocols.

There's nothing to stop a dishonest user from altering the date and time setting of his own system's clock, and generating his own public key certificates and signatures that appear to have been created at a different time. He can make it appear that he signed something earlier or later than he actually did, or that his public/private key pair was created earlier or later. This may have some legal or financial benefit to him, for example by creating some kind of loophole that might allow him to repudiate a signature.

I think this problem of falsified timestamps in digital signatures is no worse than it is already in handwritten signatures. Anyone can write any date next to their handwritten signature on a contract, but no one seems to be alarmed about this state of affairs. In some cases, an "incorrect" date on a handwritten signature might not be associated with actual fraud. The timestamp might be when the signator asserts that he signed a document, or maybe when he wants the signature to go into effect.

In situations where it is critical that a signature be trusted to have the actual correct date, people can simply use notaries to witness and date a handwritten signature. The analog to this in digital signatures is to get a trusted third party to sign a signature certificate, applying a trusted timestamp. No exotic or overly formal protocols are needed for this. Witnessed signatures have long been recognized as a legitimate way of determining when a document was signed.

A trustworthy Certifying Authority or notary could create notarized signatures with a trustworthy timestamp. This would not necessarily require a centralized authority. Perhaps any trusted introducer or disinterested party could serve this function, the same way real notary publics do now. When a notary signs other people's signatures, it creates a signature certificate of a signature certificate. This would serve as a witness to the signature in the same way that real notaries now witness handwritten

signatures. The notary could enter the detached signature certificate (without the actual whole document that was signed) into a special log controlled by the notary. Anyone could read this log. The notary's signature would have a trusted timestamp, which might have greater credibility or more legal significance than the timestamp in the original signature.

There is a good treatment of this topic in Denning's 1983 article in *IEEE Computer*. Future enhancements to PGP might have features to easily manage notarized signatures of signatures, with trusted timestamps.

Exposure on multi-user systems

PGP was originally designed for a single-user PC under your direct physical control. If you run PGP at home on your own PC, your encrypted files are generally safe, unless someone breaks into your house, steals your PC and persuades you to give them your passphrase (or your passphrase is simple enough to guess).

PGP is not designed to protect your data while it is in plaintext form on a compromised system. Nor can it prevent an intruder from using sophisticated measures to read your private key while it is being used. You will just have to recognize these risks on multiuser systems, and adjust your expectations and behavior accordingly. Perhaps your situation is such that you should consider only running PGP on an isolated single-user system under your direct physical control.

Traffic analysis

Even if the attacker cannot read the contents of your encrypted messages, he may be able to infer at least some useful information by observing where the messages come from and where they are going, the size of the messages, and the time of day the messages are sent. This is analogous to the attacker looking at your long-distance phone bill to see who you called and when and for how long, even though the actual content of your calls is unknown to the attacker. This is called traffic analysis. PGP alone does not protect against traffic analysis. Solving this problem would require specialized

communication protocols designed to reduce exposure to traffic analysis in your communication environment, possibly with some cryptographic assistance.

Cryptanalysis

An expensive and formidable cryptanalytic attack could possibly be mounted by someone with vast supercomputer resources, such as a government intelligence agency. They might crack your RSA key by using some new secret factoring breakthrough. But civilian academia has been intensively attacking it without success since 1978.

Perhaps the government has some classified methods of cracking the IDEA conventional encryption algorithm used in PGP. This is every cryptographer's worst nightmare. There can be no absolute security guarantees in practical cryptographic implementations.

Still, some optimism seems justified. The IDEA algorithm's designers are among the best cryptographers in Europe. It has had extensive security analysis and peer review from some of the best cryptanalysts in the unclassified world. It appears to have some design advantages over DES in withstanding differential cryptanalysis.

Besides, even if this algorithm has some subtle unknown weaknesses, PGP compresses the plaintext before encryption, which should greatly reduce those weaknesses. The computational workload to crack it is likely to be much more expensive than the value of the message.

If your situation justifies worrying about very formidable attacks of this caliber, then perhaps you should contact a data security consultant for some customized data security approaches tailored to your special needs.

In summary, without good cryptographic protection of your data communications, it may be practically effortless and perhaps even routine for an opponent to intercept your messages, especially those sent through a modem or email system. If you use PGP and follow reasonable precautions, the attacker will have to expend far more effort and expense to violate your privacy.

If you protect yourself against the simplest attacks, and you feel confident that your privacy is not going to be violated by a determined and highly resourceful attacker, then you'll probably be safe using PGP. PGP gives you Pretty Good Privacy.

Transferring Files Between the MacOS and Windows using PGP

Transferring files to and from MacOS is a classic problem in using almost any kind of data exchange software, such as email applications, FTP, compression utilities, and PGP. This appendix is intended to document how this problem is finally solved by PGP Version 5.5, and to discuss how to communicate with previous versions of PGP.

The MacOS stores files differently from other operating systems. Even the text file format of the MacOS is different. MacOS files are really two files consisting of a Data segment and a Resource segment. In order to send a file from MacOS to Windows without losing data, the two segments must be merged into one. The standard method by which a MacOS file is converted into a single file so that it can be transferred to another Macintosh or PC without losing either of its halves is called MacBinary.

The problem is that, without special software, Windows and other platforms cannot inherently understand the MacBinary format. If a situation occurs where the receiving software fails to convert a MacBinary format file into a Windows file, the resulting file is unusable. Third-party utilities exist on Windows to convert it after the fact into a usable file, but that can be rather inconvenient.

Previous versions of PGP and most utilities available on the market today generally try to ignore this problem as much as possible and leave all decisions up to the user as to whether or not to encode a file with MacBinary when sending from MacOS. This places the burden of deciding to send with MacBinary, and not risk losing any data, or send without MacBinary, with hope that no important data will be lost on the user, who often has no idea what the correct decision is. The decision should generally be based on whether the file is being sent to Windows or MacOS. But what about if you're sending to both at the same time? There is no good solution to that problem with older versions of PGP and many other utilities. This has resulted in great confusion and inconvenience for users.

The reverse, sending a file from Windows to the MacOS, has also been a major problem. Windows uses filename extensions, such as .doc, to identify the type of a file. This is meaningless on MacOS. These files are sent to a Macintosh computer without any file type or creator information. The process of making them readable after receipt generally involves various arcane motions in the Open dialog of the creator application, or in many cases requires the user to understand MacOS lore of creator and type codes by setting them manually in a third-party utility.

Fortunately, PGP Version 5.5 finally leads the way out of this confusion. If all PGP users were to use PGP Version 5.5, no one would have to think about how to send files from MacOS to Windows and vice versa.

Sending from the MacOS to Windows

On the MacOS, there are three options in PGP 5.5 when encrypting or signing a file on MacOS:

- MacBinary: Yes
- MacBinary: No
- MacBinary: Smart

MacBinary: Yes

This is the recommended option for all encryptions when sending to another user of PGP Version 5.5 or above on any platform. This means that MacOS users will receive the exact file that was intended, and the Windows version will automatically decode the MacBinary and even append the appropriate file extension, such as .doc for Microsoft Word or .ppt for Microsoft PowerPoint. PGP includes information on most popular application filename extensions and Macintosh-creator codes. In cases where the type is unknown or known to be a MacOS-only file such as a MacOS application, the file remains in MacBinary format so that it can later be forwarded to a Macintosh computer fully intact.

MacBinary: No

If you are communicating with users who have an older version of PGP, the decision of whether to send with MacBinary generally ends up in the sender's hands as in most other programs and in previous versions of PGP for MacOS. When sending to a PC using an older version, if you know that the file you are sending can be read by Windows applications when no MacBinary is used, select this option. This includes most files that are generally cross-platform such as those created by the Microsoft Office applications, graphics files, compressed files, and many others. The sender or the recipient will have to manually rename the file to have the correct filename extension on Windows. This is required because the Windows recipient does not have the creator information normally encoded with MacBinary.

MacBinary: Smart

There are some very limited cases where this option can be useful when communicating with users who are not using Version 5.5. This option makes a decision as to whether to encode with MacBinary based on an analysis of the actual data in the file. If the file is one of the following types, it will not be encoded with MacBinary, thereby making it readable on a PC with any version of PGP:

- PKzip compressed file
- Lempel-Ziv compressed file
- MIDI music format file
- PackIt compressed file
- GIF graphics file
- StuffIt_ compressed file
- Compactor compressed file
- Arc compressed file
- JPEG graphics file

As shown, only a limited selection of files will result in a readable file by old versions of PGP on other platforms using the Smart option. Any other file received on a PC with an older version of PGP will be unreadable without stripping the MacBinary encoding with a third-party utility. Also, the file will not have the correct filename extension on the PC unless that extension was manually added by the user on the sending side. Using Smart mode, the resulting file may not be the same as the original when sent to a Macintosh, because it may lose its creator and type codes. This mode remains in the product mostly due to the fact that it was in PGP Version 5.0 and some users may only have a need to send the above file types. This option is not recommended in most cases.

In summary, if you are sending only to Versions 5.5 or above, always select MacBinary: Yes (the default). Thus, no thought is required if your environment is using PGP Version 5.5 exclusively. When sending to users with older versions, you should select MacBinary: No for cross-platform file types and MacBinary: Yes for files which simply wouldn't be readable to PC users anyway (such as a MacOS application).

PGP Version 5.0 Note: PGP Version 5.0 did not have a MacBinary: No option. In order to send file types without MacBinary, which are not included in the MacBinary: Smart list to a PC using 5.0, the file must be manually set to one of the creator and type codes on the Smart list before sending.

Receiving Windows files on the MacOS

When decrypting, PGP Version 5.5 automatically attempts to translate filename extensions for non-MacBinary files into MacOS creator and type information. For example, if you receive a file from Windows with an extension of .doc, the file will be saved as a Microsoft Word document. The same list of applications used when adding filename extensions upon receipt of a MacBinary file on Windows is used to translate filename extensions back into the MacOS equivalent when received on a Macintosh computer. In almost all cases, this results in files which are immediately readable and double-clickable on MacOS.

Previous versions of PGP for MacOS do not have this feature. The user will have to manually determine that a file named "report.doc" is a Microsoft Word file. After determining the creator application, in the case of Microsoft Word, one can simply use the Open dialog to open the file by selecting Show All Files from the popup menu. Many other applications also have this feature, but some don't. If the document cannot be opened from within the application, the user must find out what the appropriate Macintosh creator and type codes are for the file and manually set them with a third-party utility. There are many free utilities to do this. Upgrading to Version 5.5 is probably the easiest option in this case, as it eliminates this problem.

Supported Applications

The following list of major applications produce documents which are automatically translated by PGP 5.5 when sent from Windows to MacOS and vice versa. These conversions can be manually added to and changed by editing the "PGPMacBinaryMappings.txt" file in the your system directory..

- PhotoShop (GIF, native Photoshop documents, TGA, JPEG)
- PageMaker (Versions 3.X, 4.X, 5.X, 6.X)
- Microsoft Project (project and template files)
- FileMaker Pro
- Adobe Acrobat

- Lotus 123
- Microsoft Word (text, RTF, templates)
- PGP
- Microsoft PowerPoint
- StuffIt
- QuickTime
- Corel WordPerfect
- Microsoft Excel (many different types of files)
- Quark XPress

The following general filename extensions are also converted:

.cvs	.arj	.ima	.eps	.mac	.cgm
.dl	.fli	.ico	.iff	.img	.lbm
.msp	.pac	.pbm	.pcs	.pcx	.pgm
.plt	.pm	.ppm	.rif	.rle	.shp
.spc	.sr	.sun	.sup	.wmf	.flc
.gz	.vga	.hal	.lzh	.Z	.exe
.mpg	.dvi	.tex	.aif	.zip	.au
.mod	.svx	.wav	.tar	.pct	.pic
.pit	.txt	.mdi	.pak	.tif,	.eps

Glossary

ASCII-Armored Text

Binary information that has been encoded using a standard, printable, 7-bit ASCII character set, for convenience in transporting the information through communication systems. In the PGP program, ASCII armored text files are given the `.asc` default filename extension, and they are encoded and decoded in the ASCII radix-64 format.

authentication:

The determination of the origin of encrypted information through the verification of someone's digital signature or someone's public key by checking its unique fingerprint.

certify:

To sign another person's public key.

certifying authority:

One or more trusted individuals who are assigned the responsibility of certifying the origin of keys and adding them to a common database.

conventional encryption:

Encryption that relies on a common passphrase instead of public key cryptography. The file is encrypted using a session key, which encrypts using a passphrase that you will be asked to choose

decryption:

A method of unscrambling encrypted information so that it becomes legible again. The recipient's private key is used for decryption.

digital signature:

See signature.

encryption:

A method of scrambling information to render it unreadable to anyone except the intended recipient, who must decrypt it to read it.

fingerprint:

A uniquely identifying string of numbers and characters used to authenticate public keys. This is the primary means for checking the authenticity of a key.

introducer:

A person or organization who is allowed to vouch for the authenticity of someone's public key. You designate an introducer by signing their public key.

key:

A digital code used to encrypt and sign and decrypt and verify email messages and files. Keys come in key pairs and are stored on keyrings.

key escrow:

A practice where a user of a public key encryption system surrenders their private key to a third party thus permitting them to monitor encrypted communications.

key fingerprint:

A uniquely identifying string of numbers and characters used to authenticate public keys. For example, you can telephone the owner of a public key and have him or her read the fingerprint associated with their key so you can compare it with the fingerprint on your copy of their public key to see if they match. If the fingerprint does not match, then you know you have a bogus key.

key ID:

A legible code that uniquely identifies a key pair. Two key pairs may have the same user ID, but they will have different Key IDs.

key pair:

A public key and its complimentary private key. In public-key cryptosystems, like the PGP program, each user has at least one key pair.

keyring:

A set of keys. Each user has two types of keyrings: a private keyring and a public keyring.

message digest:

A compact “distillate” of your message or file checksum. It represents your message, such that if the message were altered in any way, a different message digest would be computed from it

passphrase:

A series of keystrokes that allow exclusive access to your private key which you use to sign and decrypt email messages and file attachments.

plaintext:

Normal, legible, unencrypted, unsigned text.

private key:

The secret portion of a key pair-used to sign and decrypt information. A user's private key should be kept secret, known only to the user.

private keyring:

A set of one or more private keys, all of which belong to the owner of the private keyring.

public key:

One of two keys in a key pair-used to encrypt information and verify signatures. A user's public key can be widely disseminated to colleagues or strangers. Knowing a person's public key does not help anyone discover the corresponding private key.

public keyring:

A set of public keys. Your public keyring includes your own public key(s).

public-key cryptography:

Cryptography in which a public and private key pair is used, and no security is needed in the channel itself.

sign:

To apply a signature.

signature:

A digital code created with a private key. Signatures allow authentication of information by the process of signature verification. When you sign a message or file, the PGP program uses your private key to create a digital code that is unique to both the contents of the message and your private key. Anyone can use your public key to verify your signature.

text:

Standard, printable, 7-bit ASCII text.

trusted:

A public key is said to be trusted by you if it has been certified by you or by someone you have designated as an introducer.

trusted introducer:

Someone who you trust to provide you with keys that are valid. When a trusted introducer signs another person's key, you trust that their keys are valid, and you do not need to verify their keys before using them.

user ID:

A text phrase that identifies a key pair. For example, one common format for a user ID is the owner's name and email address. The user ID helps users (both the owner and colleagues) identify the owner of the key pair.

verification:

The act of comparing a signature created with a private key to its public key. Verification proves that the information was actually sent by the signer, and that the message has not been subsequently altered by anyone else.

web of trust:

A distributed trust model used by PGP to validate the ownership of a public key where the level of trust is cumulative, based on the individuals' knowledge of the introducers.

Index

A

- Additional Decryption Key 22
- address
 - adding new email 73
- attackers
 - protecting against 110
- attributes
 - changing your keyrings' 68–73
 - viewing your keyrings' 68–73

C

- certifying
 - authority 112
 - public keys 18, 112
- Certifying Authority, description 112
- Change passphrase property 73
- changing
 - passphrases 77
- checking
 - authenticity of a key 47
 - fingerprints 74
- cipher 71
- Clipboard
 - encrypting via the 59
 - using PGP from 28
- comparing

- fingerprints 48
- compatibility
 - PGP/MIME standard 23
 - versions of PGP 21
- Created property 71
- creating
 - key pairs 36
 - private and public key pairs 29
- creating groups 56
- cryptography
 - overview 16

D

- decrypting
 - email 19
 - from others 53
 - overview 17
 - file attachments 64
 - from the Clipboard 28
 - from Windows Explorer 64, 64
- decryption
 - how it works 35
 - setting preferences 81
- defaults
 - specifying 73
- deleting

- digital signatures 77
 - keys 77
- digital signature
 - deleting 77
 - overview 17
 - verifying 17
- digital signatures
 - description 107
- disabling
 - keys 76
- disclosure
 - protecting private keys against 116
- disk
 - system requirements 21
- distributing
 - your public keys 42

E

- email
 - adding a new user name 73
 - checking signature 17
 - copying public keys from 47
 - decrypting 19, 53, 55
 - from Windows Explorer 64
 - within Eudora 54
 - encrypting 18, 51
 - from Windows Explorer 62–63
 - via the Clipboard 59
 - with Eudora 51, 53
 - private
 - receiving 17, 51
 - sending 17, 51
 - signing 17, 18, 51
 - from Windows Explorer 62–63
 - via the Clipboard 59
 - with Eudora 51, 53
 - verifying 19, 53

- from Windows Explorer 64
 - within Eudora 54
- Enabled property 72
- enabling
 - keys 76
- encrypting
 - email 18, 51
 - overview 17
 - from the Clipboard 28
 - from Windows Explorer 62–63
 - using Eudora 51, 53
 - via the Clipboard 59
 - within Eudora 54
- encryption
 - how it works 35
 - setting preferences 80
- exchanging
 - public keys 18
 - obtaining others' 45–47
- expiration
 - setting for key pairs 37
- Expire property 72
- exporting
 - keys, to files 78
 - public keys, to files 44

F

- file attachments 64
- file storage 133
- file transfer
 - filename extensions 138
 - supported applications 137
- files
 - exporting keys to 78
 - exporting public keys to 44
 - importing keys from 78
 - importing public keys from 47

- setting location of keyring files 83
- Fingerprint property 72
- fingerprints
 - checking 74
 - comparing 48
- fingerprints, description 109

G

- generating
 - key pairs 36
 - keys
 - setting preferences 82
- Getting public keys from a key server 45
- granting
 - trust for key validations 76
- group properties 56

H

- hash function, description 109

I

- importing
 - keys, from files 78
 - public keys, from files 47
- installing
 - from CD ROM 27
 - from the Web 27, 28
 - PGP 27
- introducer 112
 - trusted
 - description 112
- introducers
 - and digital signatures 113, 129
 - description 113
 - trusted 116

K

- key compromise certificate
 - issuing 118
- Key ID property 71
- key pairs
 - creating 17, 36
 - creating with PGP Key Wizard 29
 - description of 36
 - examining 29
 - generating 36
 - making 36
 - setting expiration of 37
 - specifying defaults 73
 - viewing your 29
- key searches 88
- key server
 - getting someone's public key from 46
 - sending your public key to 40, 42–43
 - setting preferences 85
 - using to circulate revoke keys 79
- key size
 - Diffie-Hellman portion 37
 - DSS portion 37
 - setting 37
 - trade-offs 37
- Key Type property 71
- keyrings
 - changing attributes of 68–73
 - description of 67
 - location of 67
 - overview of 17
 - setting location of 83
 - storing elsewhere 67
 - viewing attributes of 68–73
 - viewing properties of 71
- keys

- backing up 41–42
- checking fingerprints 74
- colors of 40
- deleting 77
- disabling 76
- distributing 42
- enabling 76
- examining 29, 71
- exporting to files 78
- generating 36
- granting trust for validations 76
- importing from files 78
- managing 67
- overview of 35
- protecting 41–42, 116
- revoked 80
- revoking 79
- saving 41–42
- setting location of 83
- setting size of 37
- signing 75
- verifying authenticity of 47
- viewing properties of 71

L

- legitimacy
 - determining a key's 47

M

- MacBinary 133
- MacOS 133
- making
 - key pairs 36
- managing
 - keys 67
- managing groups 56

- memory
 - system requirements 21
- message digest
 - description 109
- message digest, description 109
- MIME standard
 - using to decrypt email 54
 - using to encrypt email 51, 53

N

- new email address
 - adding 73

O

- obtaining
 - others' public keys 45–47
- opening
 - PGPkeys window 29
- operating systems
 - transferring files 133
- overviews
 - checking digital signature 17
 - cryptography 16
 - decrypting email 17
 - digital signature 17
 - encrypting email 17
 - key concepts 35
 - keyrings 17
 - private keys 16
 - public key cryptography 16
 - public keys 16
 - signing email 17
 - verifying digital signature 17
- overwrite files permanently 65

P

passphrase

- Change Passphrase property 73
- changing 77
- forgotten 80
- setting 38
- setting preferences 81
- suggestions for v, 38, 39

passphrases

- compromised 124

PGP

- compatibility 21
- history 21
- installing 27
- overview of 16
- running 28
- shortcuts 32
- upgrading from a previous version 23
- upgrading from PGP, Inc. 23
- upgrading from ViaCrypt 23
- using from the Clipboard 28
- using from the System tray 28
- ways to use 28
- wipe function 65

PGP for Business Security 22

- Additional Decryption Keys 22
- Corporate Signing key 22

PGP functions from the Windows

- Explorer 65

PGP Key Wizard

- creating key pairs 29
- using to create key pairs 36

PGP plug-ins 16, 52

PGP/MIME standard

- compatibility 23
- using to decrypt email 54

- using to encrypt email 51, 53

PGPkeys display 68

PGPkeys icons 32

PGPkeys Search Window 88

PGPkeys window

- creating key pairs with 36
- Creation label 70
- description 68
- examining keys' properties

- Created 71

- Enabled 72

- Expire 72

- Fingerprint 72

- Key ID 71

- Key Type 71

- Trust Model 72

- examining keys' properties 71

- Change Passphrase 73

- opening 29

- Size label 71

- Trust label 70

- uses 68

- Validity label 69

PGPlog 55

PGPtools 16

platforms

- supported 21

plug-in applications 16

preferences

- decryption 81

- encryption 80

- general 80

- key files 83

- key generation 82

- key server 85

- passphrase cache 81

- setting 80

- preferred cipher 71
- Privacy Enhanced Mail institution 116
- private and public key pairs
 - creating 17
 - creating with PGP Key Wizard 29
 - viewing your 29
- private keys
 - compromised 124
 - creating 17
 - key pairs 17
 - creating with PGP Key Wizard 29
 - location of 67
 - overview 16
 - protecting 41–42
 - protecting against 116
 - setting location of 83
 - storing 41–42
 - viewing your 29
- properties
 - viewing a keyring's 71
- protecting
 - your keys 41–42
- public key cryptography
 - overview 16
- public keys
 - advantages of sending to key server 42
 - certifying 18, 112
 - consequences of sending to key server 40
 - copying from email messages 47
 - creating 17
 - key pairs 17
 - creating with PGP Key Wizard 29
 - distributing your 42
 - exchanging with other users 18
 - exporting to files 44

- getting from a key server 46
- giving to other users 18
- importing from files 47
- location of 67
- obtaining others' 45–47
- overview 16
- protecting 41–42
- protecting against tampering 110
- sending to key server 40, 42–43
- setting location of 83
- signing 75, 112
- storing 41–42
- trading with other users 18
- validating 18
- viewing your 29

- pubring.pkr 67
- pubring.skr file 67

R

- random numbers
 - their use as session keys 106
- receiving
 - private email 51
- recipient groups 55
- recipients 31
- revoking
 - keys 79
- running
 - PGP 28

S

- saving
 - keys 41–42
- search for a user's key 88
- secring.skr 67
- secring.skr file 67

- security breach
 - description 128
- select columns to be displayed 68
- selecting recipients 31
- sending
 - private email 51
- setting
 - passphrase for a key 38
 - preferences 80
- shortcuts 32
- signing
 - deleting signatures 77
 - email 18, 51
 - checking signature 17
 - from Windows Explorer 62–63
 - overview 17
 - via the Clipboard 59
 - keys 75
 - public keys 75, 112
 - using Eudora 51, 53
- storing
 - keys 41–42
- Subject line for email 51
- system requirements 21
- System tray
 - using PGP from 28

T

- tampering
 - protecting your keys against 110
- traffic analysis
 - as an attack 130
- transferring files
 - filename extensions 138
- transferring files between operating systems 133
- transferring files to the Mac OS 133

- transferring files with FTP 133
- trust
 - granting for key validations 76
- Trust Model property 72
- trusted introducer
 - description 112, 116
- trusted introducers 49

U

- upgrading
 - from a previous version of PGP 23
 - from ViaCrypt 23
- user ID
 - checking a public key's 113
- user name
 - adding 73
- using
 - PGP 28
 - from the Clipboard 28
 - from the System tray 28

V

- validating
 - keys
 - granting trust for 76
 - public keys 18
- validity
 - checking a key's 47
- verifying
 - authenticity of a key 47
 - email 19
 - from others 53
 - from Windows Explorer 64
 - within Eudora 54
- versions
 - of PGP, compatible 21

- upgrading to new 23
- ViaCrypt
 - upgrading from 23
- viewing
 - attributes of keyrings 68–73
 - key attributes 29
 - private and public key pairs 29
- virtual memory 66
- virus
 - as attacker 126

W

- Windows
 - system requirements 21
- Windows Explorer
 - decrypting file attachments 64
 - decrypting from 64
 - encrypting from 62–63
 - signing from 62–63
 - verifying from 64
- Windows filename extensions 134
- wipe
 - virtual memory 66
- wipe function 65
- worm
 - as attacker 126