The Celestia Theme

v1.0.3

Razik Ikhlef

July 1, 2025

Fonts

mainface Main font for text and titles (**Literata** by default)

mainfaceoptions Options directly passed to **fontspec** for the main font

sansface Sans-serif font for structural elements (**Inter** by default)

sansfaceoptions Options passed to **fontspec** for the sans-serif font

monoface Monospace font for code (**Roboto Mono** by default)

monofaceoptions Options passed to **fontspec** for the monospace font

allserif Uses the main serif font for mathematics

Example

```
\usetheme[
   mainface=EB Garamond,
   mainfaceoptions={Scale=1.1},
   sansface=Montserrat,
   monoface=Fira Code,
   allserif
]{Celestia}
```

Colors

maincolor Main color used for titles and accents (LaTeX svgname or **HTML** hexadecimal code)

accentcolor Secondary color for special elements

backgroundcolor Slide background color (**F7F9FC** by default)

codebackgroundcolor Code block background color (**F1F3F6** by default)

mainblue Standard block color (**045549** by default)

maingreen Example block color (**054924** by default)

mainred Alert block color (**490445** by default)

unicolor Uses the main color for all text

Example

```
\usetheme[
   maincolor=045549,
   accentcolor=E63946,
   backgroundcolor=FAFAFA,
   codebackgroundcolor=F5F5F5
]{Celestia}
```

Layout

margin Content margin (**2em** by default)
frametitle Title style (**elegant**, **plain**, **centered**)
decorative Enables decorative elements
nodecorative Disables decorative elements
centeredtitle Centers the title on the title page
titleright Right-aligns the title

Example

```
\usetheme[
   margin=1.5em,
   frametitle=centered,
   decorative,
   centeredtitle
]{Celestia}
```

Headers

headstyle Font family for titles: **rmfamily** (serif) or **sffamily** (sans-serif)

headshape Character style: **sc** (small caps), **it** (italic), **normal**

headweight Title weight: **bfseries** (bold) or **mdseries** (normal)

Example

```
\usetheme[
    headstyle=sffamily,
    headshape=sc,
    headweight=bfseries
]{Celestia}
```

Code

codebox Enables code framing with **tcolorbox** (**true** by default)

nocodebox Completely disables **tcolorbox** code framing

nocodeframe Keeps **tcolorbox** but without visible border

Example

```
\usetheme[
    nocodebox,
    nocodeframe
]{Celestia}
```

Footer

nofooter	Completely removes the footer, except for the slide number
quartercirclefooter	Displays only the number in a quarter circle at the bottom right
fullbarfooter	Creates a complete bar with author/title/date and number in a circle

Example

```
\usetheme[
   quartercirclefooter
]{Celestia}
```

Table of Contents

compacttoc Reduces vertical spacing between table of contents entries

twocolumntoc Automatically distributes sections across two balanced columns

Example

```
\usetheme[
    compacttoc,
    twocolumntoc
]{Celestia}
```

Blocks

block Standard block for normal content

exampleblock Block for examples

alertblock Block for alerts

Standard block

Standard block content

Example block

Example block content

Alert block

Alert block content

Block Styles

soberblock The title adopts the main block color (mainblue/maingreen/mainred) on the document's general background, while the body keeps a slightly tinted background (10

softblock The title and body share the same slightly tinted background (10

Example

```
\usetheme[
    soberblock % Colored title on document background
]{Celestia}

% or

\usetheme[
    softblock % Colored title on 10% background
]{Celestia}
```

Standout Pages

The `standout` **option transforms a slide into a standout page, ideal for key moments in the presentation: striking quotes, essential figures, take-away messages**