

# The litetable Package — Colorful Timetable\*

Mingyu Xia <[myhsia@outlook.com](mailto:myhsia@outlook.com)><sup>†</sup>

Released 2025-03-10 v3.3D

## 1 Introduction

The litetable package provides a colorful design of timetable, developed by expl3 based on tikz. It supports various compilation methods, such as pdfL<sup>A</sup>T<sub>E</sub>X, XeL<sup>A</sup>T<sub>E</sub>X, ApL<sup>A</sup>T<sub>E</sub>X, LuaL<sup>A</sup>T<sub>E</sub>X, etc. Click to jump to the manual's [[Chinese Version](#)] [[Cantonese Version](#)].

## 2 Usage

To load this package, write the line

```
\usepackage{litetable}
```

`litetable` (*env*) The `litetable` environment can create a blank timetable frame, and it should be executed after commands `\timelist` and `\weeklist`.

```
\begin{litetable} [keys] {title} [keys] ... \end{litetable}
```

The mandatory argument can set the title of the timetable, and the optional argument accepts the following keys

**color** = `<string>` can set the background color (Default: `gray`), this key's name could be omitted.

**sem** = `<string>` can set the semester information at the northeast corner of the page.

---

```
\weeklist \weeklist [keys] {list} [keys]
```

The mandatory argument accepts an array to set a list of working days and the width of each column at the top of the timetable. The optional argument accepts the following keys

**format** = `<format commands>` can set the font for the list of working days (Default: `\bfseries`).

**sep** = `<dim>` can set the separator of the list of working days (Default is empty).

```
\weeklist [ format = \bfseries \scshape, sep = \textbar ]  
{ Mon -> 1, Tue -> 1, Wed -> 1, Thu -> 1, Fri -> 1 }
```

---

\*<https://github.com/myhsia/litetable>, <https://ctan.org/pkg/litetable>

<sup>†</sup>Lijun Guo developed an interface to read `<left>` -> `<right>` data structures, and make compatibility for lower versions of T<sub>E</sub>X Live.

---

`\timelist` `\timelist` [*keys*] {*list*} [*keys*]

The mandatory argument accepts an array to set the time list on the left side of the timetable. The optional argument accepts the following keys

**numformat** = `<format commands>` can set the font for the sequence number of the time list (Default: `\ttfamily \bfseries`).

**timefont** = `<format commands>` can set the font for the time of the time list. (Default: `\ttfamily`).

**hidetime** = `<true|false>` hide the time in the time list and only retain the sequence number. The initial value is `false`.

```
\timelist [ numformat = \bfseries, timeformat = \ttfamily ]
{ 08:30 -> 10:00, 10:30 -> 12:00, 13:00 -> 14:30, 15:00 -> 16:30 }
```

---

`\course` `\course` [*keys*] {*start*} [*keys*] {*end*} [*keys*]

It's used to add course boxes on the current workday, and needs to be executed within the `litetable` environment. The two mandatory arguments can set the start and ends of the course respectively, the optional argument accepts the following keys

**color** = `<string>` can set the color of the course box (Default: `teal`), this key's name could be omitted.

**subject** = `<string>` can set the name of the course.

**location** = `<string>` can set the location of the course.

**lecture** = `<string>` can set the lecture of the course.

**comment** = `<string>` can add footnote to the course.

**T<sub>E</sub>Xhackers note:**

- If `<start>` = `<end>` (the height of the course box is 1 unit), then **location** and **lecture** will be outputted in the same line and **comment** will be hidden.
- The template will correct automatically if `<start>` and `<end>` were misplaced.
- If neither **location** nor **lecture** is assigned value, then **subject** will be outputted in the vertical center of the course box.
- Course boxes that exceed the range of the timetable won't display and it will return a warning. The input example refers to Appendix A.

---

`\newday` `\newday` [*integral value*]

It can move the next course boxes right `<integral value>` working days. The default value of the optional argument is 1.

---

`\more` `\more` {*comment*}

It can add a comment at the southwest corner of the timetable.

## A Working Example

```
\documentclass[svgnames]{article}

\usepackage{litetable, twemojis}
\usepackage[mono = false]{libertine}
\usepackage[T1]{fontenc}

\begin{document}

\weeklist [ format = \bfseries \scshape, sep = \textbar ]
{
  \texttwemoji{1f312} Mon -> 1, \texttwemoji{1f525} Tue -> 1,
  \texttwemoji{1f30a} Wed -> 1, \texttwemoji{1f332} Thu -> 1,
  \texttwemoji{1fa99} Fri -> 1
}

\timelist [ numformat = \ttfamily \bfseries, timeformat = \ttfamily ]
{
  08:05 -> 08:50, 08:55 -> 09:40, 10:00 -> 10:45, 10:50 -> 11:35,
  11:40 -> 12:25, 13:30 -> 14:15, 14:20 -> 15:05, 15:15 -> 16:00,
  16:05 -> 16:50, 18:30 -> 19:15, 19:20 -> 20:05, 20:10 -> 20:55
}

\begin{litetable} [ MidnightBlue, sem = SEM 7 ] { Course Schedule }
  \course [ subject = interface3, comment = \TeX{} Live 2025,
           lecture = The \LaTeX{} Project, DarkBlue ] {4} {5}
  \newday
  \course [ subject = expl3, lecture = The \LaTeX{} Project ] {8} {8}
  \newday
  \course [ subject = Keep on \TeX ing, lecture = Donald E. Knuth,
           location = Stanford University, Purple ] {10} {11}
  \newday
  \course [ subject = Ti\textit k\Z, lecture = \textsc{pgf},
           Crimson, comment = Version 3.1.10 ] {3} {5}
  \more { Programme Duration: 09 / 2021 -- 07 / 2025 }
\end{litetable}

\end{document}
```

# Course Schedule

SEM 7

MON

TUE

WED

THU

FRI

1

08:05

08:50

2

08:55

09:40

3

10:00

10:45

4

10:50

11:35

5

11:40

12:25

6

13:30

14:15

7

14:20

15:05

8

15:15

16:00

9

16:05

16:50

10

18:30

19:15

11

19:20

20:05

12

20:10

20:55

**interface3**

The L<sup>A</sup>T<sub>E</sub>X Project

T<sub>E</sub>X Live 2025

**TikZ**

PGF

Version 3.1.10

**expl3**

The L<sup>A</sup>T<sub>E</sub>X Project

**Keep on T<sub>E</sub>Xing**

Stanford University

Donald E. Knuth

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

|                                   |          |          |                              |            |
|-----------------------------------|----------|----------|------------------------------|------------|
|                                   | <b>C</b> |          | <b>M</b>                     |            |
| <code>\course</code> .....        |          | <i>2</i> | <code>\more</code> .....     | <i>2</i>   |
|                                   | <b>E</b> |          | <b>N</b>                     |            |
| environments:                     |          |          | <code>\newday</code> .....   | <i>2</i>   |
| <code>litable</code> .....        |          | <i>1</i> | <b>T</b>                     |            |
|                                   | <b>L</b> |          | <code>\timelist</code> ..... | <i>1,2</i> |
| <code>litable (env.)</code> ..... |          | <i>1</i> | <b>W</b>                     |            |
|                                   |          |          | <code>\weeklist</code> ..... | <i>1</i>   |