



The Celestia Theme

v1.0.7

Razik Ikhlef

October 18, 2025

mainface Main font for text and titles (**Literata** by default)

mainfaceoptions Options directly passed to **fontspec** for the main font

sansface Sans-serif font for structural elements (**Inter** by default)

sansfaceoptions Options passed to **fontspec** for the sans-serif font

monoface Monospace font for code (**Roboto Mono** by default)

monofaceoptions Options passed to **fontspec** for the monospace font

allserif Uses the main serif font for mathematics

Example

```
\usetheme[
  mainface=EB Garamond,
  mainfaceoptions={Scale=1.1},
  sansface=Montserrat,
  monoface=Fira Code,
  allserif
]{Celestia}
```

maincolor Main color used for titles and accents (**L^AT_EX** svgname or **HTML** hexadecimal code)

accentcolor Secondary color for special elements

backgroundcolor Slide background color (**F7F9FC** by default)

codebackgroundcolor Code block background color (**F1F3F6** by default)

mainblue Standard block color (**045549** by default)

maingreen Example block color (**054924** by default)

mainred Alert block color (**490445** by default)

unicolor Uses the main color for all text

Example

```
\usetheme[
  maincolor=045549,
  accentcolor=E63946,
  backgroundcolor=FAFAFA,
  codebackgroundcolor=F5F5F5
]{Celestia}
```

margin Content margin (**2em** by default)

frametitle Title style (**elegant**, **plain**, **centered**)

decorative Enables decorative elements

nodecorative Disables decorative elements

centeredtitle Centers the title on the title page

titleright Right-aligns the title

Example

```
\usetheme[  
  margin=1.5em,  
  frametitle=centered,  
  decorative,  
  centeredtitle  
{Celestia}
```

headstyle Font family for titles: **rmfamily** (serif) or **sffamily** (sans-serif)

headshape Character style: **sc** (small caps), **it** (italic), **normal**

headweight Title weight: **bfseries** (bold) or **mdseries** (normal)

Example

```
\usetheme[
  headstyle=sffamily,
  headshape=sc,
  headweight=bfseries
]{Celestia}
```

codebox Enables code framing with **tcolorbox** (**true** by default)

nocodebox Completely disables **tcolorbox** code framing

nocodeframe Keeps **tcolorbox** but without visible border

Example

```
\usetheme[
  nocodebox,
  nocodeframe
]{Celestia}
```

nofooter Completely removes the footer, except for the slide number

quatercirclefooter Displays only the number in a quarter circle at the bottom right

fullbarfooter Creates a complete bar with author/title/date and number in a circle

Example

```
\usetheme[
  quatercirclefooter
]{Celestia}
```

compacttoc Reduces vertical spacing between table of contents entries

twocolumntoc Automatically distributes sections across two balanced columns

Example

```
\usetheme[  
  compacttoc,  
  twocolumntoc  
{Celestia}
```


block Standard block for normal content

exampleblock Block for examples

alertblock Block for alerts

Standard block

Standard block content

Example block

Example block content

Alert block

Alert block content

soberblock The title adopts the main block color (mainblue/maingreen/mainred) on the document's general background, while the body keeps a slightly tinted background (10

softblock The title and body share the same slightly tinted background (10

Example

```
\usetheme[
  soberblock % Colored title on document background
]{Celestia}
```

% or

```
\usetheme[
  softblock % Colored title on 10% background
]{Celestia}
```

The standout option transforms a slide into a standout page, ideal for key moments in the presentation: striking quotes, essential figures, take-away messages